



ECHO**JAZZ** AG
RINGSTRASSE 25
6010 KRIENS
SWITZERLAND
[WWW.ECHO**JAZZ**.COM](http://WWW.ECHOJAZZ.COM)
+41 41 340 18 80
[INFO@ECHO**JAZZ**.COM](mailto:INFO@ECHOJAZZ.COM)

ECHO**JAZZ** PRODUCTS

PRICE LIST - EUR

VERSION 14.01.2025 / VALID UNTIL REVOKED

TABLE OF CONTENTS

ACOUSTIC MATERIAL	
ECHOBOARD® 12MM	4
DATA SHEET ECHOBOARD® 12MM	5
COLOURS ECHOBOARD® 12MM	6
ECHOBOARD® 24MM	7
DATA SHEET ECHOBOARD® 24MM	8
COLOURS ECHOBOARD® 24MM	9
ECHOACOUSTIC® 25MM	10
DATA SHEET ECHOACOUSTIC® 25MM	11
COLOURS ECHOACOUSTIC® 25MM	12
ACOUSTIC-CEILINGS	
ECHOORBIT® 24MM / ECHOLED® 24MM ORBIT	14
ECHOSAIL® 12MM	15
ECHOSAIL® 24MM	16
ECHOBAFFLE® 12MM	17
ECHOBAFFLE® 24MM	18
ECHOGRID® 12MM	19
ECHOGRID® 24MM	19
ACOUSTIC-LIGHTING	
ECHOAMBIENT® 24MM COCOON	22
ECHOAMBIENT® 24MM CONE	23
ECHOLED® 12MM CONE	24
ECHOLED® 24MM CONE	25
ECHOLED® 24MM NOVEM	26
ECHOLED® 24MM SITAS	27
ECHOLED® 24MM EQ4	28
ECHOLED® 24MM UMBRA	29
ECHOLED® 24MM LINEAR	30
ECHOLED® 24MM BAFFLE®	31
ACOUSTIC-WALLS	
ECHOFIELD® 12MM ORNAMENT	33
ECHOFIELD® 24MM ORNAMENT	34
ECHOFIELD® 12MM	35
ECHOFIELD® 24MM	36
ECHOBAFFLE® 12MM WALL	37
ECHOBAFFLE® 24MM WALL	38
ECHOBRICK® 12MM	39
ECHOBRICK® 24MM	41
ECHOMONOC® 12MM	43
ECHOMONOC® 24MM	44
ECHOACOUSTIC® 25MM ACCENT	45
ACOUSTIC ROOM-DIVIDERS	
EHOCURTAIN® 12MM	47
EHOCURTAIN® 24MM	48
ECHOTORRENT® 24MM	49
EHOCCOVE® 24MM ECO 79	50
EHOCCOVE® 24MM ECO 159	51
EHOCCOVE® 24MM ECO 180	52
EHOCCOVE® 24MM PALING	53
EHOCCOVE® 24MM STAND	54
EHOCCOVE® 24MM MOVE	55
EHOCCOVE® 24MM DESK ONE	56
EHOCCOVE® 24MM DESK TWO	57
EHOCCOVE® 24MM BOW	58
ACOUSTIC-FURNITURE	
ECHO NOTE® 12MM	60
EHOCCRATE® 24MM	61
ECHOTOWER® 24MM SQUARE	63
ECHOTOWER® 24MM ROUND	64
MCART 12MM	65
EHOCCARRY 12MM	66
EHOCCBOX® 24MM	67
ADDITIONAL ITEMS	
EHOGLUE®	69
ECHOACOUSTIC® 25MM PROFILE	70
ECHOBAFFLE® CUSTOM DESIGN OPTIONS	71
ECHOLED® NOVEM SPOTS 3X3	72
ECHOLED® SITAS LIGHT-MODULE	72
ECHOLED® EQ4 PIN BY BARTENBACH	73
ECHOLED® LINEAR LED	73
EHOCCOVE® JOINER	74
EHOCCOVE® DESK ADAPTER	75
MCART ELECTRICAL SOCKET	76
EHOCCRATE® SUSPENSION PROFILE	77
ECHO NOTE® 12MM COVER	78
EHOCCOVE® 24MM STAND CENTERBASE	79
PERFORATIONS	80



ACOUSTIC MATERIAL

ECHOBOARD® 12MM

EchoBoard® 12mm is a high-quality sound absorber with an α_w of up to 0.90 and an NRC of up to 0.85, which can be used for ceilings, walls, on tables or freely in space.

Absorption coefficient: α_w 0.90, class A

Through Cut: +0-5%


Chamfered edge: +5%

Ornaments: +20%

V-Cut according to complexity: +10-20%

NAME	ARTICLE	W x H x D (in mm)	UNIT	PET-BOTTLES	EUR
EchoBoard® 12mm	1001	1200x2800x12	1 Pce	168	335

ECHOBOARD® 12MM



DATASHEET ECHOBOARD® 12MM




EchoBoard® 12mm is a high quality sound absorber with an α_w of up to 0.90 and a NRC of up to 0.85, which can be used for acoustic ceilings, walls, office desks or room dividers.

NAME	EchoBoard® 12mm
DIMENSIONS	1200mm (± 1 mm) x 2800mm (± 1 mm)
COMPOSITION	100% PET (> 50% recycled PET)
PET-BOTTLES* PER PANEL	168 PET-Bottles *The number of PET bottles refers to 500ml PET bottles with a bottle weight of 24g.
WEIGHT	2400g/m ² ($\pm 10\%$)
MATERIAL THICKNESS	12mm
LIGHT FASTNESS ISO 105-B02-1994	> 7
FIRE PROTECTION EN 13501	B-s1, d0
VOC EMISSIONS ASTM D5116	< 0.5mg/m ² /h
FORMALDEHYDE EMISSIONS ASTM D5116	< 0.1mg/m ² /h
ENVIRONMENTAL CERTIFICATES	eco1 Minergie-Eco Cradle to Cradle Certified® Bronze M1 emission-free materials
ABSORPTION COEFFICIENT DIN EN ISO 11654 ASTM C423	α_w 0.30 (direct mounting) α_w 0.60 (50mm wall/ceiling distance) α_w 0.90 (200mm wall/ceiling distance) NRC = 0.45 (direct mounting) NRC = 0.70 (50mm wall/ceiling distance) NRC = 0.85 (200mm wall/ceiling distance)
COLOURS	> 10
ABSORPTION GRAPH	SOUND ABSORPTION COEFFICIENT FREQUENCY (HZ) — Sound absorption coefficient (direct mount) — Sound absorption coefficient (50mm) — Sound absorption coefficient (200mm)

COLOURS ECHOBOARD® 12MM



ECHOBOARD® 12MM



ECHOBOARD® 24MM

EchoBoard® 24mm is a high-quality sound absorber with an α_w of up to 1.00 and an NRC of up to 0.95, which can be used for ceilings, walls, on tables or freely in space.

Absorption coefficient: α_w 1.00, class A

Through Cut: +0-5%


Chamfered edge: +5%

Ornaments: +20%

V-Cut according to complexity: +10-20%

NAME	ARTICLE	W x H x D (in mm)	UNIT	PET-BOTTLES	EUR
EchoBoard® 24mm	1003	1800x2400x24	1 Pce	303	605

ECHOBOARD® 24MM



DATASHEET ECHOBOARD® 24MM



EchoBoard® 24mm is a high quality sound absorber with an aw of up to 1.00 and a NRC of up to 0.95, which can be used for acoustic ceilings, walls, office desks or room dividers.

DESCRIPTION	EchoBoard® 24mm																												
DIMENSIONS	1800mm (± 1mm) x 2400mm (± 1mm)																												
COMPOSITION	100% PET (> 50% recycled PET)																												
PET BOTTLES* PER PANEEL	303 PET Bottles *The number of PET bottles refers to 500ml PET bottles with a bottle weight of 24g.																												
WEIGHT	3600g/m² (± 10%)																												
MATERIAL THICKNESS	24mm																												
LIGHTFASTNESS ISO 105-B02-1994	> 7																												
FIRE TEST EN 13501	B-s1, d0																												
VOC EMISSIONS ASTM D5116	< 0.5mg/m²/h																												
FORMALDEHYDE EMISSIONS ASTM D5116	< 0.1mg/m²/h																												
ENVIRONMENTAL CERTIFICATIONS	eco1 Minergie-Eco Cradle to Cradle Certified® Bronze M1 emission-free materials																												
SOUND ABSORPTION DIN EN ISO 11654 ASTM C423	aw 0.50 (direct mount) aw 0.65 (50mm wall/ceiling distance) aw 1.00 (200mm wall/ceiling distance) NRC = 0.70 (direct mount) NRC = 0.80 (50mm wall/ceiling distance) NRC = 0.95 (200mm wall/ceiling distance)																												
COLOURS	> 20																												
SOUND ABSORPTION GRAPH	The graph plots the Sound Absorption Coefficient (Y-axis, 0.00 to 1.20) against Frequency in Hertz (X-axis, 125 to 4000 Hz). Three data series are shown: direct mount (green line), 50mm distance (yellow line), and 200mm distance (blue line). The 200mm distance series shows the highest absorption across most frequencies, peaking around 1.05 at 1000 Hz. The 50mm distance series peaks around 1.05 at 2000 Hz. The direct mount series shows the lowest absorption, peaking around 1.05 at 2000 Hz. <table><caption>Approximate data points from the Sound Absorption Graph</caption><thead><tr><th>Frequency (Hz)</th><th>Direct mount (green)</th><th>50mm (yellow)</th><th>200mm (blue)</th></tr></thead><tbody><tr><td>125</td><td>0.05</td><td>0.15</td><td>0.55</td></tr><tr><td>250</td><td>0.15</td><td>0.35</td><td>0.85</td></tr><tr><td>500</td><td>0.45</td><td>0.75</td><td>0.95</td></tr><tr><td>1000</td><td>0.85</td><td>1.05</td><td>0.85</td></tr><tr><td>2000</td><td>1.05</td><td>1.05</td><td>0.95</td></tr><tr><td>4000</td><td>1.05</td><td>0.95</td><td>0.95</td></tr></tbody></table>	Frequency (Hz)	Direct mount (green)	50mm (yellow)	200mm (blue)	125	0.05	0.15	0.55	250	0.15	0.35	0.85	500	0.45	0.75	0.95	1000	0.85	1.05	0.85	2000	1.05	1.05	0.95	4000	1.05	0.95	0.95
Frequency (Hz)	Direct mount (green)	50mm (yellow)	200mm (blue)																										
125	0.05	0.15	0.55																										
250	0.15	0.35	0.85																										
500	0.45	0.75	0.95																										
1000	0.85	1.05	0.85																										
2000	1.05	1.05	0.95																										
4000	1.05	0.95	0.95																										

COLOURS ECHOBOARD® 24MM



ECHOBOARD® 24MM



*Discontinued. Colour available from stock while supplies last or on request with a minimum order quantity.



ECHOCOUSTIC® 25MM

EchoCoustic® 25mm is a high quality sound absorber with an α_w of up to 0.90 and a NRC of up to 0.90, which can directly be mounted on walls and ceilings without spacing.

Absorption coefficient: α_w 0.90, class A


Discover our EchoCoustic® 25mm PROFILE edge profiles! ([Page 70](#))

Through Cut: +5%

V-Cut according to complexity: +10-20%

NAME	ARTICLE	COLOUR	W x H x D (in mm)	UNIT	PET-BOTTLES	EUR
EchoCoustic® 25mm	1004-124	124	1190x2700x25	1 Pce	177	745
EchoCoustic® 25mm	1004-130	130	1190x2700x25	1 Pce	177	745
EchoCoustic® 25mm	1004-137	137	1190x2700x25	1 Pce	177	745
EchoCoustic® 25mm	1004-141	141	1190x2700x25	1 Pce	177	745
EchoCoustic® 25mm	1004-142	142	1190x2700x25	1 Pce	177	745
EchoCoustic® 25mm	1004-143	143	1190x2700x25	1 Pce	177	745
EchoCoustic® 25mm	1004-144	144	1190x2700x25	1 Pce	177	745
EchoCoustic® 25mm	1004-145	145	1190x2700x25	1 Pce	177	745
EchoCoustic® 25mm	1004-152	152	1190x2700x25	1 Pce	177	745
EchoCoustic® 25mm	1004-154	154	1190x2700x25	1 Pce	177	745
EchoCoustic® 25mm	1004-160	160	1190x2700x25	1 Pce	177	745
EchoCoustic® 25mm	1004-164	164	1190x2700x25	1 Pce	177	745
EchoCoustic® 25mm	1004-166	166	1190x2700x25	1 Pce	177	530
EchoCoustic® 25mm	1004-168	168	1190x2700x25	1 Pce	177	745
EchoCoustic® 25mm	1004-202	202	1190x2700x25	1 Pce	177	745
EchoCoustic® 25mm	1004-227	227	1190x2700x25	1 Pce	177	745
EchoCoustic® 25mm	1004-238	238	1190x2700x25	1 Pce	177	745
EchoCoustic® 25mm	1004-239	239	1190x2700x25	1 Pce	177	745
EchoCoustic® 25mm	1004-914	914	1190x2700x25	1 Pce	177	745
EchoCoustic® 25mm	1004-915	915	1190x2700x25	1 Pce	177	745
EchoCoustic® 25mm	1004-916	916	1190x2700x25	1 Pce	177	745
EchoCoustic® 25mm	1004-917	917	1190x2700x25	1 Pce	177	745
EchoCoustic® 25mm	1004-923	923	1190x2700x25	1 Pce	177	745
EchoCoustic® 25mm	1004-925	925	1190x2700x25	1 Pce	177	745
EchoCoustic® 25mm	1004-929	929	1190x2700x25	1 Pce	177	745
EchoCoustic® 25mm	1004-941	941	1190x2700x25	1 Pce	177	745
EchoCoustic® 25mm	1004-946	946	1190x2700x25	1 Pce	177	745
EchoCoustic® 25mm	1004-948	948	1190x2700x25	1 Pce	177	530
EchoCoustic® 25mm	1004-953	953	1190x2700x25	1 Pce	177	745
EchoCoustic® 25mm	1004-966	966	1190x2700x25	1 Pce	177	745
EchoCoustic® 25mm	1004-991	991	1190x2700x25	1 Pce	177	530

ECHOCOUSTIC® 25MM



DATASHEET ECHOCOUSTIC® 25MM



EchoCoustic® is a high quality sound absorber with an aw of up to 0.90 and a NRC of up to 0.90, which can be mounted on walls and ceilings without spacing.

NAME	EchoCoustic® 25mm																														
DIMENSIONS	1190mm (± 1mm) x 2700mm (± 1mm)																														
COMPOSITION	100% PET (<50% recycled PET)																														
PET-BOTTLES* PER PANEL	177 PET-Bottles *The number of PET bottles refers to 500ml PET bottles with a bottle weight of 24g.																														
WEIGHT	2650g/m² (± 10%)																														
MATERIAL THICKNESS	25mm (± 2mm)																														
LIGHT FASTNESS ISO 105-B02	> 6																														
FIRE PROTECTION EN 13501	B-s1, d0																														
VOC EMISSIONS CA 01350	TVOC Emission Rate: 0.009 mg/m³																														
FORMALDEHYDE EMISSIONS CA 01350	Formaldehyde Emission Rate: <0.5 µg/m³																														
ENVIRONMENTAL CERTIFICATIONS	eco1 Minergie-Eco Greentag GreenRate Level A M1 emission-free materials																														
ABSORPTION LEVEL ISO 11654 ASTM C423	aw = 0.80 (direct mount) aw = 0.90 (400mm wall/ceiling distance) NRC = 0.85 (direct mount) NRC = 0.90 (400mm wall/ceiling distance)																														
COLOURS	31																														
ABSORPTION GRAPH	The graph plots the Sound Absorption Coefficient (Y-axis, 0.00 to 1.20) against Frequency in Hertz (X-axis, 125 to 4000 Hz). Two data series are shown: 'Sound Absorption Coefficient (direct mount)' in green and 'Sound Absorption Coefficient (400mm)' in orange. The green line starts at approximately 0.10 at 125 Hz, rises to 0.65 at 315 Hz, 0.88 at 500 Hz, and peaks at 1.08 at 1250 Hz before slightly declining. The orange line starts at 0.75 at 125 Hz, peaks at 0.90 at 315 Hz, dips to 0.75 at 500 Hz, and then rises to a plateau of approximately 0.95 between 1000 Hz and 2000 Hz, ending at 0.90 at 4000 Hz. <table><tr><th>Frequency (Hz)</th><th>Direct Mount (Green)</th><th>400mm (Orange)</th></tr><tr><td>125</td><td>0.10</td><td>0.75</td></tr><tr><td>250</td><td>0.45</td><td>0.88</td></tr><tr><td>315</td><td>0.65</td><td>0.90</td></tr><tr><td>500</td><td>0.88</td><td>0.75</td></tr><tr><td>750</td><td>1.02</td><td>0.90</td></tr><tr><td>1000</td><td>1.02</td><td>0.92</td></tr><tr><td>1250</td><td>1.08</td><td>0.92</td></tr><tr><td>2000</td><td>1.05</td><td>0.95</td></tr><tr><td>4000</td><td>1.02</td><td>0.90</td></tr></table>	Frequency (Hz)	Direct Mount (Green)	400mm (Orange)	125	0.10	0.75	250	0.45	0.88	315	0.65	0.90	500	0.88	0.75	750	1.02	0.90	1000	1.02	0.92	1250	1.08	0.92	2000	1.05	0.95	4000	1.02	0.90
Frequency (Hz)	Direct Mount (Green)	400mm (Orange)																													
125	0.10	0.75																													
250	0.45	0.88																													
315	0.65	0.90																													
500	0.88	0.75																													
750	1.02	0.90																													
1000	1.02	0.92																													
1250	1.08	0.92																													
2000	1.05	0.95																													
4000	1.02	0.90																													

COLOURS ECHOCOUSTIC® 25MM



ECHOCOUSTIC® 25MM CATEGORY I



ECHOCOUSTIC® 25MM CATEGORY II





ACOUSTIC-CEILINGS

ECHOORBIT® 24MM / ECHOLED® 24MM ORBIT

Acoustic absorber for ceilings with or without light with textile surface made from 100% PET. EchoOrbit® and EchoLED® ORBIT is suspended with safety hooks.


Please specify suspension type when ordering.

Absorption coefficient: α_w 1.00, class A


NAME	ARTICLE	W x H x D (in mm)	UNIT	PET-BOTTLES	EUR
2x EchoOrbit® 24mm*	1585	1100x1270x109	Set of 2 pce	169	1040
1x EchoOrbit® 24mm* + 1x EchoLED® ORBIT*	1589	1100x1270x109	Set of 2 pce	169	1250

*Please specify if each element (EchoOrbit® or EchoLED® ORBIT) should be suspended with 3 independent suspension points or by one bundled suspension point.


ECHOORBIT® 24MM
THREE SUSPENSION POINTS





ECHOORBIT® 24MM
ONE SUSPENSION POINT



ECHOLED® ORBIT 24MM
THREE SUSPENSION POINTS



ECHOLED® ORBIT 24MM
ONE SUSPENSION POINT



SAFETY HOOK

ECHOSAIL® 12MM

Acoustic sails in various shapes and surface designs incl. suspension system up to 1500mm. The EchoSail® is suspended directly with screws up to a length of 1000mm. For all shapes over 1000mm long, the EchoSail® is suspended with a frame and safety hooks. The frame is white as standard and can be supplied in other colours upon request.

Absorption coefficient: α_w 0.90, class A
 Edge processing: 90°, corner radii 200mm

NAME	ARTICLE	W x H x D (in mm)	UNIT	PET-BOTTLES	EUR
EchoSail® 12mm BUTTERFLY	1063	1091x811x49	3 Pce	109	470
EchoSail® 12mm HEXAGON	1064	1180x1078x62	2 Pce	99	590
EchoSail® 12mm RECTANGLE	1065	2380x1180x62	1 Pce	140	505
EchoSail® 12mm ROUND	1066	Ø1180x62	2 Pce	109	590
EchoSail® 12mm SQUARE	1067	1180x1180x62	2 Pce	139	590

ECHOSAIL® 12MM
BUTTERFLY




ECHOSAIL® 12MM
HEXAGON



ECHOSAIL® 12MM
RECTANGLE



ECHOSAIL® 12MM
ROUND





ECHOSAIL® 12MM
SQUARE




ECHOSAIL® 24MM
SQUARE L



ECHOSAIL® 24MM
STONE



SAFETY HOOK



DIRECTLY SCREWED

ECHOSAIL® 24MM

Acoustic sails in various shapes and surface designs incl. suspension system up to 1500mm. The EchoSail® is suspended directly with screws up to a length of 1000mm. For all shapes over 1000mm long, the EchoSail® is suspended with a frame and safety hooks. The frame is white as standard and can be supplied in other colours upon request.

Absorption coefficient: α_w 1.00, class A

Edge processing: 90°, corner radii 200mm

NAME	ARTICLE	W x H x D (in mm)	UNIT	PET-BOTTLES	EUR
EchoSail® 24mm BUTTERFLY M	1068	1091x811x74	4 Pce	154	780
EchoSail® 24mm BUTTERFLY L	1069	1273x1708x74	2 Pce	252	820
EchoSail® 24mm HEXAGON M	1070	1180x1078x74	2 Pce	141	870
EchoSail® 24mm HEXAGON L	1071	1800x1645x74	1 Pce	165	880
EchoSail® 24mm RECTANGLE M	1072	2380x1180x74	1 Pce	199	785
EchoSail® 24mm RECTANGLE L	1073	2380x1800x74	1 Pce	303	895
EchoSail® 24mm ROUND M	1074	Ø1180x61	2 Pce	155	870
EchoSail® 24mm ROUND L	1075	Ø1800x74	1 Pce	180	880
EchoSail® 24mm SQUARE M	1076	1180x1180x74	2 Pce	197	870
EchoSail® 24mm SQUARE L	1077	1800x1800x74	1 Pce	230	880
EchoSail® 24mm STONE	1078	954-1530x820-971x61	4 Pce	245	905

**ECHOSAIL® 24MM
BUTTERFLY M**




**ECHOSAIL® 24MM
BUTTERFLY L**



**ECHOSAIL® 24MM
HEXAGON M**



**ECHOSAIL® 24MM
HEXAGON L**



**ECHOSAIL® 24MM
RECTANGLE M**




**ECHOSAIL® 24MM
RECTANGLE L**



**ECHOSAIL® 24MM
ROUND M**



**ECHOSAIL® 24MM
ROUND L**



**ECHOSAIL® 24MM
SQUARE M**



ECHOBAFFLE® 12MM

Acoustic baffles consisting of baffle blades incl. substructure and suspension.

Absorption coefficient: α_w 0.45

When ordering custom designed EchoBaffle® ceilings additional specifications are needed. (Page 71)


You can always find the latest designs on our website: www.echojazz.com/echobaffle.

EchoBoard® 12mm colours are available depending on stock.


Individual EchoBaffle® solutions available on request!

NAME	ARTICLE	W x H x D (in mm)	UNIT	PET-BOTTLES	EUR
EchoBaffle® 12mm PLAIN M	1031	1390x1600x235	1 Pce	158	420
EchoBaffle® 12mm PLAIN L	1032	2780x1600x235	1 Pce	201	745
EchoBaffle® 12mm CORNER M	1029	1390x1600x240	1 Pce	120	420
EchoBaffle® 12mm CORNER L	1030	2780x1600x240	1 Pce	306	745
EchoBaffle® 12mm VOGUE M	1033	1390x1600x290	1 Pce	118	420
EchoBaffle® 12mm VOGUE L	1034	2780x1600x290	1 Pce	227	745
EchoBaffle® 12mm CUSTOM DESIGN	1079	According to design			


**ECHOBAFFLE® 12MM
PLAIN M**




**ECHOBAFFLE® 12MM
PLAIN L**




**ECHOBAFFLE® 12MM
CORNER M**





**ECHOBAFFLE® 12MM
CORNER L**




**ECHOBAFFLE® 12MM
VOGUE M**



**ECHOBAFFLE® 12MM
VOGUE L**



CLOSED EDGE



DIRECT SUSPENSION

ECHOBAFFLE® 24MM

Acoustic baffles consisting of baffle blades incl. substructure and suspension.

Absorption coefficient: α_w 0.50


When ordering custom designed EchoBaffle® ceilings additional specifications are needed. (Page 71)

You can always find the latest designs on our website: www.echojazz.com/echobaffle.


Individual EchoBaffle® solutions available on request!

NAME	ARTICLE	W x H x D (in mm)	UNIT	PET-BOTTLES	EUR
EchoBaffle® 24mm PLAIN M	1037	1075x1600x235	1 Pce	147	420
EchoBaffle® 24mm PLAIN L	1038	2400x1600x235	1 Pce	307	745
EchoBaffle® 24mm CORNER M	1035	1075x1600x240	1 Pce	124	420
EchoBaffle® 24mm CORNER L	1036	2400x1600x240	1 Pce	240	745
EchoBaffle® 24mm VOGUE M	1039	1075x1600x290	1 Pce	124	420
EchoBaffle® 24mm VOGUE L	1040	2400x1600x290	1 Pce	250	745
EchoBaffle® 12mm CUSTOM DESIGN	1082	According to design			


**ECHOBAFFLE® 24MM
PLAIN M**




**ECHOBAFFLE® 24MM
PLAIN L**




**ECHOBAFFLE® 24MM
CORNER M**





**ECHOBAFFLE® 24MM
CORNER L**




**ECHOBAFFLE® 24MM
VOGUE M**



**ECHOBAFFLE® 24MM
VOGUE L**



CLOSED EDGE



DIRECT SUSPENSION

ECHOGRID® 12MM

High-performance acoustic inlay for ceiling grids with textile surface made of 100% PET.

Absorption coefficient: α_w 0.30 - 0.90, class A.

Suitable for grid sizes 625x625mm & 1250x625mm with profile width 24mm

Individual EchoGrid® solutions on request!

You can always find the latest designs on our website www.echojazz.com/echogrid

NAME	ARTICLE	W x H x D (in mm)	UNIT	PET-BOTTLES	EUR
EchoGrid® 12mm BLADES 625 P	1041	619x130x600	4 Stk	104	430
EchoGrid® 12mm BLADES 625 S	1042	619x130x600	8 Stk	116	430
EchoGrid® 12mm BLADES 1250 P	1043	1250x130x600	2 Stk	115	430
EchoGrid® 12mm BLADES 1250 S	1044	1250x130x600	4 Stk	120	430
EchoGrid® 12mm CROSSING 625 P	1045	619x120x600	4 Stk	108	430
EchoGrid® 12mm CROSSING 625 S	1046	619x120x600	8 Stk	121	430
EchoGrid® 12mm CROSSING 1250 P	1047	1250x150x600	2 Stk	131	430
EchoGrid® 12mm CROSSING 1250 S	1048	1245x150x600	4 Stk	144	430
EchoGrid® 12mm MATRIX 625 P	1049	619x72x599	8 Stk	144	430
EchoGrid® 12mm MATRIX 625 S	1050	619x72x599	11 Stk	147	430
EchoGrid® 12mm MATRIX 1250 P	1051	1245x72x599	4 Stk	145	430
EchoGrid® 12mm MATRIX 1250 S	1052	1245x72x599	6 Stk	162	430
EchoGrid® 12mm PLAIN 625 P	1053	619x65x600	6 Stk	129	430
EchoGrid® 12mm PLAIN 625 S	1054	619x65x600	12 Stk	149	430
EchoGrid® 12mm PLAIN 1250 P	1055	1245x65x600	3 Stk	132	430
EchoGrid® 12mm PLAIN 1250 S	1056	1245x65x600	6 Stk	152	430
EchoGrid® 12mm TILE 625	1057	619x12x605	8 Stk	150	345
EchoGrid® 12mm TILE 1250	1058	1244x12x605	4 Stk	151	345

ECHOGRID® 24MM

High-performance acoustic inlay for ceiling grids with textile surface made of 100% PET.

Absorption coefficient: α_w 0.50 - 1.00, class A.

Suitable for grid sizes 625x625mm & 1250x625mm with profile width 24mm

Individual EchoGrid® solutions on request!

You can always find the latest designs on our website www.echojazz.com/echogrid

NAME	ARTICLE	W x H x D (in mm)	UNIT	PET-BOTTLES	EUR
EchoGrid® 24mm TILE 625	1057	619x24x605	9 Stk	239	610
EchoGrid® 24mm TILE 1250	1060	1244x24x605	4 Stk	213	610

**ECHOGRID® 12MM
PLAIN 625 PREMIUM**




**ECHOGRID® 12MM
PLAIN 1250 PREMIUM**



**ECHOGRID® 12MM
PLAIN 625 STANDARD**




**ECHOGRID® 12MM
PLAIN 1250 STANDARD**



**ECHOGRID® 12MM
MATRIX 625 PREMIUM**




**ECHOGRID® 12MM
MATRIX 1250 PREMIUM**



**ECHOGRID® 12MM
MATRIX 625 STANDARD**



**ECHOGRID® 12MM
MATRIX 1250 STANDARD**



**ECHOGRID® 12MM
BLADES 625 PREMIUM**



**ECHOGRID® 12MM
BLADES 1250 PREMIUM**



**ECHOGRID® 12MM
BLADES 625 STANDARD**




**ECHOGRID® 12MM
BLADES 1250 STANDARD**



**ECHOGRID® 12MM
CROSSING 625 PREMIUM**




**ECHOGRID® 12MM
CROSSING 1250 PREMIUM**



**ECHOGRID® 12MM
CROSSING 625 STANDARD**




**ECHOGRID® 12MM
CROSSING 1250 STANDARD**



**ECHOGRID® 12MM
TILE 625**



**ECHOGRID® 12MM
TILE 1250**



**ECHOGRID® 24MM
TILE 625**



**ECHOGRID® 24MM
TILE 1250**







ACOUSTIC-LIGHTING

ECHOAMBIENT® 24MM COCOON

Acoustic pendant luminaire incl. substructure and suspension. Supplied without plug.
Absorption coefficient: aw 1.00, class A

NAME	ARTICLE	ØxH (in mm)	UNIT	PET-BOTTLES	EUR
EchoAmbient® 24mm COCOON M	1084	470x750mm	1 pce	132	600

ECHOAMBIENT® 24MM COCOON M




SUSPENSION SET

ECHOAMBIENT® 24MM CONE


Acoustic pendant luminaire incl. substructure and suspension. Supplied without plug.
Absorption coefficient: [aw 1.00, class A](#)

NAME	ARTICLE	ØxH (in mm)	UNIT	PET-BOTTLES	EUR
EchoAmbient® 24mm CONE XS	1085	422x310	1 pce	18	475
EchoAmbient® 24mm CONE S	1086	622x385	1 pce	39	660
EchoAmbient® 24mm CONE M	1087	822x534	1 pce	72	1010



ECHOAMBIENT® 24MM
CONE XS



ECHOAMBIENT® 24MM
CONE S



ECHOAMBIENT® 24MM
CONE M



DIRECT HANGERS


ECHOLED® 12MM CONE

Acoustic pendant luminaire incl. substructure and suspension. Supplied without plug.


Absorption coefficient: α_w 0.90, class A

NAME	ARTICLE	W x H x D (in mm)	UNIT	PET-BOTTLES	EUR
EchoLED 12mm CONE XS VERTIGO	1088	400x273x400	1 Pce	16	635
EchoLED 12mm CONE XS WAVY	1089	400x273x400	1 Pce	16	635
EchoLED 12mm CONE S VERTIGO	1090	600x403x600	1 Pce	37	845
EchoLED 12mm CONE S WAVY	1091	600x403x600	1 Pce	37	845
EchoLED 12mm CONE M VERTIGO	1092	800x533x800	1 Pce	66	1055
EchoLED 12mm CONE M WAVY	1093	800x533x800	1 Pce	66	1055
EchoLED 12mm CONE L VERTIGO	1094	1200x653x1200	1 Pce	136	1895
EchoLED 12mm CONE L WAVY	1095	1200x653x1200	1 Pce	136	1895
EchoLED 12mm CONE XL VERTIGO	1096	1600x853x1600	1 Pce	241	2690
EchoLED 12mm CONE XL WAVY	1097	1600x853x1600	1 Pce	241	2690


ECHOLED® 12MM CONE XS VERTIGO




ECHOLED® 12MM CONE XS WAVY




ECHOLED® 12MM CONE S VERTIGO




ECHOLED® 12MM CONE S WAVY




ECHOLED® 12MM CONE M VERTIGO




ECHOLED® 12MM CONE M WAVY




ECHOLED® 12MM CONE L VERTIGO





ECHOLED® 12MM CONE L WAVY




ECHOLED® 12MM CONE XL VERTIGO



ECHOLED® 12MM CONE XL WAVY



SAFETY HOOK




DIRECT SUSPENSION

ECHOLED® 24MM CONE


Acoustic pendant luminaire incl. substructure and suspension. Supplied without plug.
Absorption coefficient: α_w 1.00, class A

NAME	ARTICLE	W x H x D (in mm)	UNIT	PET-BOTTLES	EUR
EchoLED 24mm CONE XS WAVY	1100	424x276x424	1 Pce	24	670
EchoLED 24mm CONE S WAVY	1101	624x406x624	1 Pce	55	820
EchoLED 24mm CONE M WAVY	1102	824x536x824	1 Pce	99	1105
EchoLED 24mm CONE L WAVY	1103	1224x656x1224	1 Pce	204	1825
EchoLED 24mm CONE XL WAVY	1104	1624x856x1624	1 Pce	361	3345


ECHOLED® 24MM CONE
XS WAVY




ECHOLED® 24MM CONE
S WAVY





ECHOLED® 24MM CONE
M WAVY




ECHOLED® 24MM CONE
L WAVY



ECHOLED® 24MM CONE
XL WAVY



SAFETY HOOK



DIRECT SUSPENSION

ECHOLED® 24MM NOVEM

Acoustic sail with fully integrated direct and indirect lighting with DALI dimming mode incl. substructure and suspension. The EchoLED® NOVEM luminaire is suspended using a frame and safety hooks. The frame is white as standard and can be supplied in other colours to order. Supplied without plug.

Absorption coefficient: α_w 1.00, class A

Edge processing: 90°, corner radii 200mm

Available on request in ON/OFF only, without DALI dimming mode.


Light source in 3000K available on request. The standard illuminant is supplied with a light colour of 4000K. (Tech. info: [Page 72](#))

Available on request without indirect ceiling lighting.


NAME	ARTICLE	W x H x D (in mm)	UNIT	PET-BOTTLES	EUR
EchoLED® 24mm NOVEM RECTANGLE M	1123	1800x1180x72	1 Pce	151	1260
EchoLED® 24mm NOVEM RECTANGLE M (*Set of 2)	1123	1800x1180x72	Set of 2*	303	2335
EchoLED® 24mm NOVEM RECTANGLE L	1125	2380x1800x72	1 Pce	303	1505
EchoLED® 24mm NOVEM RECTANGLE L2	1475	2380x1800x72	1 Pce	303	2295
EchoLED® 24mm NOVEM ROUND M	1126	Ø1180x72	1 Pce	82	1260
EchoLED® 24mm NOVEM ROUND M (*Set of 2)	1127	Ø1180x72	Set of 2*	164	2340
EchoLED® 24mm NOVEM ROUND L	1128	Ø1800x72	1 Pce	190	1440
EchoLED® 24mm NOVEM SQUARE M	1129	1180x1180x72	1 Pce	104	1240
EchoLED® 24mm NOVEM SQUARE M (*Set of 2)	1130	1180x1180x72	Set of 2*	208	2310
EchoLED® 24mm NOVEM SQUARE L	1131	1800x1800x72	1 Pce	243	1480

*Only one colour possible per set


**ECHOLED® 24MM NOVEM
RECTANGLE M**




**ECHOLED® 24MM NOVEM
RECTANGLE L**




**ECHOLED® 24MM NOVEM
RECTANGLE L2**




**ECHOLED® 24MM NOVEM
ROUND M**




**ECHOLED® 24MM NOVEM
ROUND L**



**ECHOLED® 24MM NOVEM
SQUARE M**



**ECHOLED® 24MM NOVEM
SQUARE L**



SAFETY HOOK

ECHOLED® 24MM SITAS

Acoustic sail with fully integrated direct lighting with DALI dimming mode incl. substructure and suspension. The EchoLED® SITAS luminaire is suspended using a frame and safety hooks. The frame is white as standard and can be supplied in other colours to order. Supplied without plug.

Absorption coefficient: α_w 1.00, class A

Edge processing: 90°, corner radii 200mm


Available on request in ON/OFF only, without DALI dimming mode.

Light source in 3000K available on request. The standard illuminant is supplied with a light colour of 4000K. (Tech. info: [Page 72](#))


NAME	ARTICLE	W x H x D (in mm)	UNIT	PET-BOTTLES	EUR
EchoLED® 24mm SITAS RECTANGLE M	1132	1800x1180x84	1 Pce	151	1385
EchoLED® 24mm SITAS RECTANGLE M (*Set of 2)	1133	1800x1180x84	Set of 2*	303	2595
EchoLED® 24mm SITAS RECTANGLE L	1116	2380x1800x84	1 Pce	303	1635
EchoLED® 24mm SITAS ROUND M	1134	Ø1180x84	1 Pce	82	1345
EchoLED® 24mm SITAS ROUND M (*Set of 2)	1135	Ø1180x84	Set of 2*	164	2515
EchoLED® 24mm SITAS ROUND L	1136	Ø1800x84	1 Pce	190	1510
EchoLED® 24mm SITAS SQUARE M	1137	1180x1180x84	1 Pce	104	1380
EchoLED® 24mm SITAS SQUARE M (*Set of 2)	1138	1180x1180x84	Set of 2*	208	2575
EchoLED® 24mm SITAS SQUARE L	1139	1800x1800x84	1 Pce	243	1615

*Only one colour possible per set


**ECHOLED® 24MM SITAS
RECTANGLE M**




**ECHOLED® 24MM SITAS
ROUND M**




**ECHOLED® 24MM SITAS
SQUARE M**





**ECHOLED® 24MM SITAS
RECTANGLE L**



**ECHOLED® 24MM SITAS
ROUND L**



**ECHOLED® 24MM SITAS
SQUARE L**



SAFETY HOOK

ECHOLED® 24MM EQ4

Acoustic sail with fully integrated lighting with DALI dimming mode incl. substructure and suspension. The EchoLED® EQ4 luminaire is suspended with frame and safety hook. The frame is white as standard and can be supplied in other colours to order. Supplied without plug.

Absorption coefficient: α_w 1.00, class A

Edge processing: 90°, corner radii 40mm

ON/OFF and Casambi control available on request

Please specify the type of EchoLED® EQ4 PIN light module when ordering. (Page 73)

NAME	ARTICLE	W x H x D (in mm)	UNIT	PET-BOTTLES	EUR
EchoLED® 24mm EQ4 SINGLE M	1105	1180x1180x74	1 Pce	99	1170
EchoLED® 24mm EQ4 SINGLE L	1106	1800x1800x74	1 Pce	230	1270
EchoLED® 24mm EQ4 DOUBLE M	1107	1800x1800x74	1 Pce	230	1705
EchoLED® 24mm EQ4 DOUBLE L	1108	2380x1800x74	1 Pce	303	1760
EchoLED® 24mm EQ4 QUAD L	1109	2380x1800x74	1 Pce	303	2240

**ECHOLED® 24MM EQ4
SINGLE M**




**ECHOLED® 24MM EQ4
SINGLE L**





**ECHOLED® 24MM EQ4
DOUBLE M**



**ECHOLED® 24MM EQ4
DOUBLE L**



**ECHOLED® 24MM EQ4
QUAD L**



SAFETY HOOK

ECHOLED® 24MM UMBRA

Acoustic luminaire with DALI dimming mode incl. substructure and suspension. Supplied without plug.

Absorption coefficient: α_w 1.00, class A

ON/OFF and Casambi control available on request

On request, the UMBRA L is available in extra lengths



Please specify the type of EchoLED® EQ4 PIN light module when ordering. (Page 73)

NAME	ARTICLE	W x H x D (in mm)	UNIT	PET-BOTTLES	EUR
EchoLED® 24mm UMBRA M	1117	782x590x782	1 Pce	117	1370
EchoLED® 24mm UMBRA L	1118	2362x590x782	1 Pce	300	3220

ECHOLED® 24MM
UMBRA M



ECHOLED® 24MM
UMBRA L



SAFETY HOOK

ECHOLED® 24MM LINEAR

Acoustic sail with fully integrated lighting with DALI dimming mode incl. substructure and suspension. Supplied without plug. The EchoLED® LINEAR luminaire is suspended with frame and safety hook. The frame is white as standard and can be supplied in other colours on request.

Absorption coefficient: α_w 1.00, class A

Edge processing: 90°, corner radii 200mm

ON/OFF and Casambi control available on request

Please specify the type of EchoLED® LINEAR LED light module when ordering. (Page 73)

NAME	ARTICLE	W x H x D (in mm)	UNIT	PET-BOTTLES	EUR
EchoLED® 24mm LINEAR L1 RECTANGLE M	1110	2380x74x1180	1 Pce	199	1370
EchoLED® 24mm LINEAR L1 RECTANGLE L	1111	2380x74x1800	1 Pce	303	1660
EchoLED® 24mm LINEAR L2 RECTANGLE L	1112	2380x74x1800	1 Pce	230	1760
EchoLED® 24mm LINEAR M1 SQUARE	1113	1800x74x1800	1 Pce	230	1230
EchoLED® 24mm LINEAR M1 RECTANGLE L	1114	2380x74x1800	1 Pce	303	1315
EchoLED® 24mm LINEAR M2 RECTANGLE L	1115	2380x74x1800	1 Pce	303	1760


**ECHOLED® 24MM LINEAR
M2 RECTANGLE L**




**ECHOLED® 24MM LINEAR
M1 RECTANGLE L**



**ECHOLED® 24MM LINEAR
M1 SQUARE**




**ECHOLED® 24MM LINEAR
L2 RECTANGLE L**



**ECHOLED® 24MM LINEAR
L1 RECTANGLE L**



**ECHOLED® 24MM LINEAR
L1 RECTANGLE M**



SAFETY HOOK

ECHOLED® 24MM BAFFLE®




Acoustic baffle with fully integrated lighting with DALI dimming mode incl. substructure and suspension. Supplied without plug.

Absorption coefficient: [aw 1.00, class A](#)

Edge processing: [90](#)

[ON/OFF](#) and [Casambi control](#) available on request

NAME	ARTICLE	W x H x D (in mm)	UNIT	PET-BOTTLES	EUR
EchoLED® 24mm BAFFLE M	1098	1510x290x109	1 Pce	65	955
EchoLED® 24mm BAFFLE L	1099	2090x290x109	1 Pce	87	1055



SAFETY HOOK



ACOUSTIC-WALLS

ECHOFIELD® 12MM ORNAMENT

Acoustic panels in various shapes and surface designs incl. magnetic wall suspension.


Absorption coefficient: α_w 0.60

Edge processing: 90°, corner radii 40mm


This product is available with all our perforations! (Page 80)

NAME	ARTICLE	W x H x D (in mm)	UNIT	PET-BOTTLES	EUR
EchoField® 12mm ORNAMENT PLAIN	1259	1200x2800x49	1 Pce	168	440
EchoField® 12mm ORNAMENT PERFORATED	1468	1200x2800x49	1 Pce	144	770
EchoField® 12mm ORNAMENT EMBOSSED	1467	1200x2800x55	1 Pce	168	835
EchoField® 12mm ORNAMENT DEBOSSSED	1466	1200x2800x49	1 Pce	168	835


ECHOFIELD® 12MM ORNAMENT
PLAIN





ECHOFIELD® 12MM ORNAMENT
PERFORATED



ECHOFIELD® 12MM ORNAMENT
EMBOSSED



ECHOFIELD® 12MM ORNAMENT
DEBOSSSED



SUSPENSION WITH MAGNETS

ECHOFIELD® 24MM ORNAMENT

Acoustic panels in various shapes and surface designs incl. magnetic wall suspension.


Absorption coefficient: α_w 0.65

Edge processing: 90°, corner radii 40mm


This product is available with all our perforations! (Page 80)

NAME	ARTICLE	W x H x D (in mm)	UNIT	PET-BOTTLES	EUR
EchoField® 24mm ORNAMENT PLAIN	1265	1800x2400x61	1 Pce	303	760
EchoField® 24mm ORNAMENT PERFORATED	1471	1800x2400x61	1 Pce	268	970
EchoField® 24mm ORNAMENT EMBOSSED	1470	1800x2400x67	1 Pce	303	1260
EchoField® 24mm ORNAMENT DEBOSSSED	1469	1800x2400x61	1 Pce	303	1260


ECHOFIELD® 24MM ORNAMENT
PLAIN






ECHOFIELD® 24MM ORNAMENT
PERFORATED



ECHOFIELD® 24MM ORNAMENT
EMBOSSED



ECHOFIELD® 24MM ORNAMENT
DEBOSSSED




SUSPENSION WITH MAGNETS

ECHOFIELD® 12MM


Acoustic panels in various shapes and surface designs incl. wall suspension.
Absorption coefficient: $\alpha_w > 0.60$
Edge processing: 90°, corner radii 200mm

NAME	ARTICLE	W x H x D (in mm)	UNIT	PET-BOTTLES	EUR
EchoField® 12mm HEXAGON M	1258	1180x1078x62	2 Pce	99	540
EchoField® 12mm RECTANGLE M	1260	2380x1180x62	1 Pce	140	495
EchoField® 12mm ROUND M	1261	Ø1180x62	2 Pce	109	540
EchoField® 12mm SQUARE M	1262	1180x1180x62	2 Pce	139	540

ECHOFIELD® 12MM
HEXAGON




ECHOFIELD® 12MM
RECTANGLE



ECHOFIELD®
12MM ROUND



ECHOFIELD®
12MM SQUARE



WANDHALTERUNG

ECHOFIELD® 24MM


Acoustic panels in various shapes and surface designs incl. wall suspension.

Absorption coefficient: $\alpha_w > 0.65$


Edge processing: 90°, corner radii 200mm

NAME	ARTICLE	W x H x D (in mm)	UNIT	PET-BOTTLES	EUR
EchoField® 24mm HEXAGON M	1263	1180x1078x74	2 Pce	141	895
EchoField® 24mm HEXAGON L	1264	1800x1645x74	1 Pce	165	895
EchoField® 24mm RECTANGLE M	1266	2380x1180x74	1 Pce	199	870
EchoField® 24mm RECTANGLE L	1267	2380x1800x74	1 Pce	303	895
EchoField® 24mm ROUND M	1268	Ø1180x74	2 Pce	155	895
EchoField® 24mm ROUND L	1269	Ø1800x74	1 Pce	180	870
EchoField® 24mm SQUARE M	1270	1180x1180x74	2 Pce	197	895
EchoField® 24mm SQUARE L	1271	1800x1800x74	1 Pce	230	870


**ECHOFIELD® 24MM
HEXAGON M**




**ECHOFIELD® 24MM
HEXAGON L**



**ECHOFIELD® 24MM
RECTANGLE M**




**ECHOFIELD® 24MM
RECTANGLE L**



**ECHOFIELD® 24MM
ROUND M**





**ECHOFIELD® 24MM
ROUND L**



**ECHOFIELD® 24MM
SQUARE M**



**ECHOFIELD® 24MM
SQUARE L**



WANDHALTERUNG

ECHOBAFFLE® 12MM WALL


Acoustic wall baffles consisting of baffle blades incl. substructure and suspension profiles.
Individual EchoBaffle® solutions available on request!
You can always find the latest designs on our website: www.echojazz.com/echobaffle-wall

NAME	ARTICLE	W x H x D (in mm)	UNIT	PET-BOTTLES	EUR
EchoBaffle® WALL 12mm DIAMOND	1250	1350x2800x110mm	1 Pce	262	895
EchoBaffle® WALL 12mm PLAIN	1251	1350x2800x113mm	1 Pce	321	865
EchoBaffle® WALL 12mm TILT	1252	1350x2800x92mm	1 Pce	321	870
EchoBaffle® WALL 12mm WAVE	1253	1350x2800x125mm	1 Pce	299	895


ECHOBAFFLE® WALL 12MM
DIAMOND




ECHOBAFFLE® WALL
12MM PLAIN



ECHOBAFFLE® WALL 12MM
TILT



ECHOBAFFLE® WALL 12MM
WAVE



ECHOBAFFLE® 24MM WALL


Acoustic wall baffles consisting of baffle blades incl. substructure and suspension profiles.

Individual EchoBaffle® solutions available on request!


You can always find the latest designs on our website: www.echojazz.com/echobaffle-wall

NAME	ARTICLE	W x H x D (in mm)	UNIT	PET-BOTTLES	EUR
EchoBaffle® WALL 24mm DIAMOND	1254	1350x2400x103mm	1 Pce	244	745
EchoBaffle® WALL 24mm PLAIN	1255	1350x2400x103mm	1 Pce	302	715
EchoBaffle® WALL 24mm TILT	1256	1350x2400x94mm	1 Pce	302	725
EchoBaffle® WALL 24mm WAVE	1257	1350x2400x131mm	1 Pce	282	745


**ECHOBAFFLE® WALL 24MM
DIAMOND**




**ECHOBAFFLE® WALL 24MM
PLAIN**



**ECHOBAFFLE® WALL 24MM
TILT**



**ECHOBAFFLE® WALL 24MM
WAVE**



ECHOBRICK® 12MM

Acoustic wall tiles with bevelling. Installation using EchoGlue® spray adhesive (included).

Absorption coefficient: α_w 0.30/0.60 (0mm/50mm wall distance)


Edge processing: 45° chamfer

Special dimensions and designs on request


You can always find the latest designs online at www.echojazz.com/echobrick

NAME	ARTICLE	W x H x D (in mm)	UNIT	PET-BOTTLES	EUR
EchoBrick® 12mm BOLLIWOOD	1011	2800x280x12	Set of 4	157	440
EchoBrick® 12mm BOOMERANG	1299	520x300x12	Set of 40	156	575
EchoBrick® 12mm CELL	1300	600x693x12	Set of 8	125	440
EchoBrick® 12mm DIAGONAL L	1302	600x600x12	Set of 8	144	440
EchoBrick® 12mm DIAGONAL M	1301	300x300x12	Set of 36	162	440
EchoBrick® 12mm DIAMOND L	1337	793x458x12	Set of 12	109	440
EchoBrick® 12mm DIAMOND M	1303	397x229x12	Set of 58	132	440
EchoBrick® 12mm GRADIENT	1537	255x294x12	Set of 48	135	575
EchoBrick® 12mm HEXAGON L	1415	693x600x12	Set of 8	125	440
EchoBrick® 12mm HEXAGON M	1383	294x255x12	Set of 48	191	575
EchoBrick® 12mm KALEIDO	1476	600x693x12	Set of 8	125	440
EchoBrick® 12mm PLANK M	1553	300x1400x12	Set of 8	168	440
EchoBrick® 12mm PLANK L	1565	300x2800x12	Set of 4	168	440
EchoBrick® 12mm PUZZLE	1570	677x677x12	Set of 10	135	440
EchoBrick® 12mm SHIELD	1574	590x288x12	Set of 20	128	440
EchoBrick® 12mm TANGRAM	1575	2800x1200x12	Set of 35	144	440
EchoBrick® 12mm WALL L	1584	600x300x12	Set of 18	162	440
EchoBrick® 12mm WALL M	1583	300x150x12	Set of 72	162	440


**ECHOBRICK® 12MM
BOLLIWOOD**




**ECHOBRICK® 12MM
BOOMERANG**




**ECHOBRICK® 12MM
CELL**




**ECHOBRICK® 12MM
DIAGONAL L**




**ECHOBRICK® 12MM
DIAGONAL M**




**ECHOBRICK® 12MM
DIAMOND L**



**ECHOBRICK® 12MM
DIAMOND M**




**ECHOBRICK® 12MM
GRADIENT**




**ECHOBRICK® 12MM
HEXAGON L**




**ECHOBRICK® 12MM
HEXAGON M**




**ECHOBRICK® 12MM
KALEIDO**




**ECHOBRICK® 12MM
PLANK M**




**ECHOBRICK® 12MM
PLANK L**




**ECHOBRICK® 12MM
PUZZLE**




**ECHOBRICK® 12MM
SHIELD**




**ECHOBRICK® 12MM
TANGRAM**



**ECHOBRICK® 12MM
WALL L**



**ECHOBRICK® 12MM
WALL M**



ECHOBRICK® 24MM

Acoustic wall tiles with bevelling. Installation using EchoGlue® spray adhesive (included).

Absorption coefficient: α_w 0.50/0.65 (0mm/50mm wall distance)


Edge processing: 45° chamfer

Special dimensions and designs on request


You can always find the latest designs online at www.echojazz.com/echobrick

NAME	ARTICLE	W x H x D (in mm)	UNIT	PET-BOTTLES	EUR
EchoBrick® 24mm BOLLIWOOD	1012	2400x280x24	Set of 6	285	805
EchoBrick® 24mm BOOMERANG	1586	520x300x24	Set of 48	265	940
EchoBrick® 24mm CELL	1587	600x693x24	Set of 11	243	805
EchoBrick® 24mm DIAGONAL L	1590	600x600x24	Set of 12	306	805
EchoBrick® 24mm DIAGONAL M	1588	300x300x24	Set of 48	306	805
EchoBrick® 24mm DIAMOND L	1597	793x458x24	Set of 15	193	805
EchoBrick® 24mm DIAMOND M	1591	397x229x24	Set of 77	269	805
EchoBrick® 24mm GRADIENT	1603	255x294x24	Set of 65	259	940
EchoBrick® 24mm HEXAGON L	1601	693x600x24	Set of 11	243	805
EchoBrick® 24mm HEXAGON M	1600	294x255x24	Set of 65	259	940
EchoBrick® 24mm KALEIDO	1602	600x693x24	Set of 11	243	805
EchoBrick® 24mm PLANK M	1604	300x1200x24	Set of 12	306	805
EchoBrick® 24mm PLANK L	1605	300x2400x24	Set of 6	306	805
EchoBrick® 24mm PUZZLE	1606	677x677x24	Set of 12	230	805
EchoBrick® 24mm SHIELD	1607	590x288x24	Set of 28	253	805
EchoBrick® 24mm TANGRAM	1608	2380x1770x24	Set of 28	296	805
EchoBrick® 24mm WALL L	1610	600x300x24	Set of 24	306	805
EchoBrick® 24mm WALL M	1609	300x150x24	Set of 96	306	805


**ECHOBRICK® 24MM
BOLLIWOOD**




**ECHOBRICK® 24MM
BOOMERANG**




**ECHOBRICK® 24MM
CELL**




**ECHOBRICK® 24MM
DIAGONAL L**




**ECHOBRICK® 24MM
DIAGONAL M**




**ECHOBRICK® 24MM
DIAMOND L**




**ECHOBRICK® 24MM
DIAMOND M**




**ECHOBRICK® 24MM
GRADIENT**




**ECHOBRICK® 24MM
HEXAGON L**




**ECHOBRICK® 24MM
HEXAGON M**




**ECHOBRICK® 24MM
KALEIDO**




**ECHOBRICK® 24MM
PLANK M**




**ECHOBRICK® 24MM
PLANK L**




**ECHOBRICK® 24MM
PUZZLE**




**ECHOBRICK® 24MM
SHIELD**




**ECHOBRICK® 24MM
TANGRAM**



**ECHOBRICK® 24MM
WALL L**



**ECHOBRICK® 24MM
WALL M**



ECHOMONOC® 12MM

Acoustic wall panels with bevelling. Installation using EchoGlue® spray adhesive (included).


Absorption coefficient: α_w 0.30/0.60 (0mm/50mm wall distance)

Special dimensions and designs on request


You can always find the latest designs online at www.echojazz.com/echomonoc

NAME	ARTICLE	W x H x D (in mm)	UNIT	PET-BOTTLES	EUR
EchoMonoc® 12mm BALLOON LEFT	1009-100	1200x2800x12	1 Pce	168	520
EchoMonoc® 12mm BALLOON RIGHT	1009-100	1200x2800x12	1 Pce	168	520
EchoMonoc® 12mm CODE	1009-101	1200x2800x12	1 Pce	168	520
EchoMonoc® 12mm DIAGONAL	1009-102	1200x2800x12	1 Pce	168	520
EchoMonoc® 12mm FENCE	1009-103	1200x2800x12	1 Pce	168	520
EchoMonoc® 12mm FISHBONE	1009-104	1200x2800x12	1 Pce	168	520
EchoMonoc® 12mm FLOW	1009-105	1200x2800x12	1 Pce	168	520
EchoMonoc® 12mm FRAGMENTS	1009-106	1200x2800x12	1 Pce	168	520
EchoMonoc® 12mm KINGSCROSS	1009-107	1200x2800x12	1 Pce	168	520
EchoMonoc® 12mm LEAVES	1009-108	1200x2800x12	1 Pce	168	520
EchoMonoc® 12mm SEAWEED	1009-109	1200x2800x12	1 Pce	168	520
EchoMonoc® 12mm SPHERE	1009-110	1200x2800x12	1 Pce	168	520
EchoMonoc® 12mm STREAMS	1009-111	1200x2800x12	1 Pce	168	520
EchoMonoc® 12mm VERTIGO	1009-112	1200x2800x12	1 Pce	168	520
EchoMonoc® 12mm WAVE	1009-113	1200x2800x12	1 Pce	168	520
EchoMonoc® 12mm WOVEN	1009-115	1200x2800x12	1 Pce	168	520
EchoMonoc® 12mm ZIGZAG	1009-114	1200x2800x12	1 Pce	168	520


**ECHOMONOC® 12MM
BALLOON (LEFT/RIGHT)**




**ECHOMONOC® 12MM
CODE**




**ECHOMONOC® 12MM
DIAGONAL**



**ECHOMONOC® 12MM
FENCE**




**ECHOMONOC® 12MM
FISHBONE**




**ECHOMONOC® 12MM
FLOW**



**ECHOMONOC® 12MM
FRAGMENTS**




**ECHOMONOC® 12MM
KINGSCROSS**




**ECHOMONOC® 12MM
LEAVES**



**ECHOMONOC® 12MM
SEAWEED**



**ECHOMONOC® 12MM
SPHERE**




**ECHOMONOC® 12MM
STREAMS**



**ECHOMONOC® 12MM
VERTIGO**



**ECHOMONOC® 12MM
WAVE**



**ECHOMONOC® 12MM
WOVEN**



**ECHOMONOC® 12MM
ZIGZAG**



ECHOMONOC® 24MM

Acoustic wall panels with bevelling. Installation using EchoGlue® spray adhesive (included).


Absorption coefficient: α_w 0.50/0.65 (0mm/50mm wall distance)

Special dimensions and designs on request


You can always find the latest designs online at www.echojazz.com/echomonoc

NAME	ARTICLE	W x H x D (in mm)	UNIT	PET-BOTTLES	EUR
EchoMonoc® 24mm BALLOON	1531-100	1800x2400x24	1 Pce	303	805
EchoMonoc® 24mm CODE	1531-101	1800x2400x24	1 Pce	303	805
EchoMonoc® 24mm DIAGONAL	1531-102	1800x2400x24	1 Pce	303	805
EchoMonoc® 24mm FENCE	1531-103	1800x2400x24	1 Pce	303	805
EchoMonoc® 24mm FISHBONE	1531-104	1800x2400x24	1 Pce	303	805
EchoMonoc® 24mm FLOW	1531-105	1800x2400x24	1 Pce	303	805
EchoMonoc® 24mm FRAGMENTS	1531-106	1800x2400x24	1 Pce	303	805
EchoMonoc® 24mm KINGSCROSS	1531-107	1800x2400x24	1 Pce	303	805
EchoMonoc® 24mm LEAVES	1531-108	1800x2400x24	1 Pce	303	805
EchoMonoc® 24mm SEAWEED	1531-109	1800x2400x24	1 Pce	303	805
EchoMonoc® 24mm SPHERE	1531-110	1800x2400x24	1 Pce	303	805
EchoMonoc® 24mm STREAMS	1531-111	1800x2400x24	1 Pce	303	805
EchoMonoc® 24mm VERTIGO	1531-112	1800x2400x24	1 Pce	303	805
EchoMonoc® 24mm WAVE	1531-113	1800x2400x24	1 Pce	303	805
EchoMonoc® 24mm WOVEN	1531-115	1800x2400x24	1 Pce	303	805
EchoMonoc® 24mm ZIGZAG	1531-114	1800x2400x24	1 Pce	303	805


ECHOMONOC® 24MM
BALLOON




ECHOMONOC® 24MM
CODE




ECHOMONOC® 24MM
DIAGONAL




ECHOMONOC® 24MM
FENCE




ECHOMONOC® 24MM
FISHBONE




ECHOMONOC® 24MM
FLOW



ECHOMONOC® 24MM
FRAGMENTS




ECHOMONOC® 24MM
KINGSCROSS




ECHOMONOC® 24MM
LEAVES




ECHOMONOC® 24MM
SEAWEED




ECHOMONOC® 24MM
SPHERE




ECHOMONOC® 24MM
STREAMS



ECHOMONOC® 24MM
VERTIGO




ECHOMONOC® 24MM
WAVE



ECHOMONOC® 24MM
WOVEN



ECHOMONOC® 24MM
ZIGZAG



ECHOCOUSTIC® 25MM ACCENT

Acoustic wall panels with bevelling. Installation using EchoGlue® spray adhesive (included).


Absorption coefficient: α_w 0.80, class B

You can always find the latest designs online at www.echojazz.com/echocoustic-accent


Discover our EchoCoustic® 25mm PROFILE edge profiles! ([Page 70](#))

NAME	ARTICLE	W x H x D (in mm)	UNIT	PET-BOTTLES	EUR
EchoCoustic® 25mm ACCENT BALLOON LEFT	1008-100	1190x2700x25	1 Pce	177	985
EchoCoustic® 25mm ACCENT BALLOON RIGHT	1008-100	1190x2700x25	1 Pce	177	985
EchoCoustic® 25mm ACCENT CODE	1008-103	1190x2700x25	1 Pce	177	985
EchoCoustic® 25mm ACCENT DIAGONAL	1008-104	1190x2700x25	1 Pce	177	985
EchoCoustic® 25mm ACCENT FENCE	1008-102	1190x2700x25	1 Pce	177	985
EchoCoustic® 25mm ACCENT SPHERE	1008-101	1190x2700x25	1 Pce	177	985
EchoCoustic® 25mm ACCENT STREAMS	1008-107	1190x2700x25	1 Pce	177	985
EchoCoustic® 25mm ACCENT VERTIGO	1008-106	1190x2700x25	1 Pce	177	985
EchoCoustic® 25mm ACCENT WAVE	1008-105	1190x2700x25	1 Pce	177	985

**ECHOCOUSTIC® 25MM ACCENT
BALLOON (LEFT/RIGHT)**



**ECHOCOUSTIC® 25MM ACCENT
CODE**




**ECHOCOUSTIC® 25MM ACCENT
DIAGONAL**



**ECHOCOUSTIC® 25MM ACCENT
FENCE**




**ECHOCOUSTIC® 25MM ACCENT
SPHERE**




**ECHOCOUSTIC® 25MM ACCENT
STREAMS**



**ECHOCOUSTIC® 25MM ACCENT
VERTIGO**



**ECHOCOUSTIC® 25MM ACCENT
WAVE**





ACOUSTIC ROOM-DIVIDERS

ECHOCURTAIN® 12MM

Suspended acoustic screens incl. suspension system


Absorption coefficient: α_w 0.90, class A

Special dimensions and designs on request

This product is available with our perforations. (Page 80)

NAME	ARTICLE	W x H x D (in mm)	UNIT	PET-BOTTLES	EUR
EchoCurtain® 12mm PLAIN	1241	1200x2800x12	1 Pce	168	440
EchoCurtain® 12mm PERFORATED	1465	1200x2800x12	1 Pce	168	770

ECHOCURTAIN® 12MM
PLAIN



ECHOCURTAIN® 24MM


Suspended acoustic screens incl. suspension system

Absorption coefficient: α_w 1.00, class A

Special dimensions and designs on request

NAME	ARTICLE	W x H x D (in mm)	UNIT	PET-BOTTLES	EUR
EchoCurtain® 24mm PLAIN	1242	1800x2400x24	1 Pce	303	760
EchoCurtain® 24mm PERFORATED	1464	1800x2400x24	1 Pce	303	970

ECHOCURTAIN® 24MM
PLAIN



ECHOTORRENT® 24MM


Hanging acoustic screens incl. suspension system

Absorption coefficient: α_w 1.00, class A

Special dimensions and designs on request

NAME	ARTICLE	W x H x D (in mm)	UNIT	PET-BOTTLES	EUR
EchoTorrent® 24mm DOT DOUBLE	1652	1180x4000x34 / Ø780	1 pce	208	2315

ECHOTORRENT® 24MM
DOT DOUBLE



ECHOCOVE® 24MM ECO 79

Frameless acoustic partition for installation on the floor (without tools) excl. EchoCove® JOINER connectors

Absorption coefficient: α_w 1.00, class A

Special dimensions and designs on request

Please specify the EchoCove® JOINER type when ordering. (Page 74)

This product is available with our perforations. (Page 80)

NAME	ARTICLE	W x H x D (in mm)	UNIT	PET-BOTTLES	EUR
EchoCove® 24mm ECO END 79 S PLAIN	1206	790x1180x24	1 Pce	68	240
EchoCove® 24mm ECO END 79 S PERFORATED	1477	790x1180x24	1 Pce	68	315
EchoCove® 24mm ECO END 79 M PLAIN	1207	790x1420x24	1 Pce	79	245
EchoCove® 24mm ECO END 79 M PERFORATED	1478	790x1420x24	1 Pce	79	325
EchoCove® 24mm ECO END 79 L PLAIN	1208	790x1800x24	1 Pce	101	260
EchoCove® 24mm ECO END 79 L PERFORATED	1479	790x1800x24	1 Pce	101	335
EchoCove® 24mm ECO STEP END 79 M PLAIN	1237	790x1420x24	1 Pce	79	245
EchoCove® 24mm ECO STEP END 79 M PERFORATED	1480	790x1420x24	1 Pce	79	325
EchoCove® 24mm ECO STEP END 79 L PLAIN	1238	790x1800x24	1 Pce	101	260
EchoCove® 24mm ECO STEP END 79 L PERFORATED	1481	790x1800x24	1 Pce	101	335
EchoCove® 24mm ECO MID 79 S PLAIN	1213	790x1180x24	1 Pce	68	240
EchoCove® 24mm ECO MID 79 S PERFORATED	1482	790x1180x24	1 Pce	68	315
EchoCove® 24mm ECO MID 79 M PLAIN	1214	790x1420x24	1 Pce	79	245
EchoCove® 24mm ECO MID 79 M PERFORATED	1483	790x1420x24	1 Pce	79	325
EchoCove® 24mm ECO MID 79 L PLAIN	1215	790x1800x24	1 Pce	101	260
EchoCove® 24mm ECO MID 79 L PERFORATED	1484	790x1800x24	1 Pce	101	335
EchoCove® 24mm ECO STEP MID 79 M PLAIN	1239	790x1420x24	1 Pce	79	245
EchoCove® 24mm ECO STEP MID 79 M PERFORATED	1485	790x1420x24	1 Pce	79	325
EchoCove® 24mm ECO STEP MID 79 L PLAIN	1240	790x1800x24	1 Pce	101	260
EchoCove® 24mm ECO STEP MID 79 L PERFORATED	1486	790x1800x24	1 Pce	101	335

**ECHOCOVE® 24MM ECO
END 79 S**



**ECHOCOVE® 24MM ECO
END 79 M**



**ECHOCOVE® 24MM ECO
END 79 L**



**ECHOCOVE® 24MM ECO
STEP END 79 M**



**ECHOCOVE® 24MM ECO
STEP END 79 L**



**ECHOCOVE® 24MM ECO
MID 79 S**



**ECHOCOVE® 24MM ECO
MID 79 M**




**ECHOCOVE® 24MM ECO
MID 79 L**



**ECHOCOVE® 24MM ECO
STEP MID 79 M**



**ECHOCOVE® 24MM ECO
STEP MID 79 L**



ECHOCOVE® 24MM ECO 159

Frameless acoustic partition for installation on the floor (without tools) excl. EchoCove® JOINER connectors

Absorption coefficient: α_w 1.00, class A


Special dimensions and designs on request

Please specify the EchoCove® JOINER type when ordering. (Page 74)


This product is available with our perforations. (Page 80)

NAME	ARTICLE	W x H x D (in mm)	UNIT	PET-BOTTLES	EUR
EchoCove® 24mm ECO MID 159 S PLAIN	1216	1585x1180x24	1 Pce	137	460
EchoCove® 24mm ECO MID 159 S PERFORATED	1487	1585x1180x24	1 Pce	137	515
EchoCove® 24mm ECO MID 159 M PLAIN	1217	1585x1420x24	1 Pce	159	460
EchoCove® 24mm ECO MID 159 M PERFORATED	1488	1585x1420x24	1 Pce	159	535
EchoCove® 24mm ECO MID 159 L PLAIN	1218	1585x1800x24	1 Pce	202	490
EchoCove® 24mm ECO MID 159 L PERFORATED	1489	1585x1800x24	1 Pce	202	555


ECHOCOVE® 24MM ECO
MID 159 S



ECHOCOVE® 24MM ECO
MID 159 M



ECHOCOVE® 24MM ECO
MID 159 L



ECHOCOVE® 24MM ECO 180

Frameless acoustic partition for installation on the floor (without tools) excl. EchoCove® JOINER connectors

Absorption coefficient: α_w 1.00, class A


Special dimensions and designs on request

Please specify the EchoCove® JOINER type when ordering. (Page 74)


This product is available with our perforations. (Page 80)

NAME	ARTICLE	W x H x D (in mm)	UNIT	PET-BOTTLES	EUR
EchoCove® 24mm ECO MID 180 S PLAIN	1219	1800x1180x24	1 Pce	156	685
EchoCove® 24mm ECO MID 180 S PERFORATED	1490	1800x1180x24	1 Pce	156	745
EchoCove® 24mm ECO MID 180 M PLAIN	1220	1800x1420x24	1 Pce	181	705
EchoCove® 24mm ECO MID 180 M PERFORATED	1491	1800x1420x24	1 Pce	181	770
EchoCove® 24mm ECO MID 180 L PLAIN	1221	1800x1800x24	1 Pce	230	730
EchoCove® 24mm ECO MID 180 L PERFORATED	1492	1800x1800x24	1 Pce	230	795


ECHOCOVE® 24MM ECO
MID 180 S



ECHOCOVE® 24MM ECO
MID 180 M



ECHOCOVE® 24MM ECO
MID 180 L



ECHOCOVE® 24MM PALING

Frameless folding acoustic wall incl. EchoCove® JOINER PIVOT.


Absorption coefficient: [aw 1.00, class A](#)

Special dimensions and designs on request

This product is available with our perforations. ([Page 80](#))

NAME	ARTICLE	W x H x D (in mm)	UNIT	PET-BOTTLES	EUR
EchoCove® 24mm PALING PLAIN	1228	2125x1800x230	1 Pce	297	830
EchoCove® 24mm PALING PERFORATED	1493	2125x1800x230	1 Pce	297	1045

ECHOCOVE® 24MM
PALING



ECHOCOVE® 24MM STAND

Frameless acoustic partition wall for installation on the floor, team tables or storage furniture incl. high-quality base, deep matt powder-coated (no tools required).

Absorption coefficient: α_w 1.00, class A

Colour base: Black RAL9005

From an order quantity of 10 pieces, the foot is available in all RAL colours at a surcharge of 5%.

*The XL product variations are available with our three alternative adjustable bases FULL, SLIM and ARCH. (Page 79)

This product is available with our perforations. (Page 80)

NAME	ARTICLE	W x H x D (in mm)	UNIT	PET-BOTTLES	EUR
EchoCove® 24mm STAND 160 S PLAIN	1229	1600x600x200	1 Pce	67	310
EchoCove® 24mm STAND 160 S PERFORATED	1494	1600x600x200	1 Pce	67	360
EchoCove® 24mm STAND 160 M PLAIN	1230	1600x1215x400	1 Pce	138	735
EchoCove® 24mm STAND 160 M PERFORATED	1495	1600x1215x400	1 Pce	138	830
EchoCove® 24mm STAND 160 L PLAIN	1231	1600x1455x400	1 Pce	161	770
EchoCove® 24mm STAND 160 L PERFORATED	1496	1600x1455x400	1 Pce	161	870
EchoCove® 24mm STAND 160 XL PLAIN*	1232	1600x1835x400/413/353	1 Pce	204	870
EchoCove® 24mm STAND 160 XL PERFORATED*	1497	1600x1835x400/413/353	1 Pce	204	965
EchoCove® 24mm STAND 180 S PLAIN	1233	1800x600x200	1 Pce	75	330
EchoCove® 24mm STAND 180 S PERFORATED	1498	1800x600x200	1 Pce	75	380
EchoCove® 24mm STAND 180 M PLAIN	1234	1800x1215x400	1 Pce	156	760
EchoCove® 24mm STAND 180 M PERFORATED	1499	1800x1215x400	1 Pce	156	870
EchoCove® 24mm STAND 180 L PLAIN	1235	1800x1455x400	1 Pce	181	800
EchoCove® 24mm STAND 180 L PERFORATED	1500	1800x1455x400	1 Pce	181	905
EchoCove® 24mm STAND 180 XL PLAIN*	1236	1800x1835x400/413/353	1 Pce	230	925
EchoCove® 24mm STAND 180 XL PERFORATED*	1501	1800x1835x400/413/353	1 Pce	230	1030



ECHOCOVE® 24MM MOVE

Frameless acoustic movable wall with high-quality base frame with castors incl. stoppers, deep matt powder-coated (no tools required)

Absorption coefficient: α_w 1.00, class A


Colour base: Black RAL9005

From an order quantity of 10 pieces, the foot is available in all RAL colours at a surcharge of 5%.


This product is available with our perforations. ([Page 80](#))

NAME	ARTICLE	W x H x D (in mm)	UNIT	PET-BOTTLES	EUR
EchoCove® 24mm MOVE LOW S PLAIN	1222	1180x1420x430	1 Pce	119	780
EchoCove® 24mm MOVE LOW S PERFORATED	1502	1180x1420x430	1 Pce	119	1000
EchoCove® 24mm MOVE LOW M PLAIN	1224	1600x1420x430	1 Pce	161	905
EchoCove® 24mm MOVE LOW M PERFORATED	1503	1600x1420x430	1 Pce	161	1120
EchoCove® 24mm MOVE LOW L PLAIN	1226	1800x1420x430	1 Pce	181	1045
EchoCove® 24mm MOVE LOW L PERFORATED	1504	1800x1420x430	1 Pce	181	1265
EchoCove® 24mm MOVE HIGH S PLAIN	1223	1180x1800x430	1 Pce	150	795
EchoCove® 24mm MOVE HIGH S PERFORATED	1505	1180x1800x430	1 Pce	150	1015
EchoCove® 24mm MOVE HIGH M PLAIN	1225	1600x1800x430	1 Pce	204	940
EchoCove® 24mm MOVE HIGH M PERFORATED	1506	1600x1800x430	1 Pce	204	1160
EchoCove® 24mm MOVE HIGH L PLAIN	1227	1800x1800x430	1 Pce	230	1075
EchoCove® 24mm MOVE HIGH L PERFORATED	1507	1800x1800x430	1 Pce	230	1290


**ECHOCOVE® 24MM MOVE
LOW S**




**ECHOCOVE® 24MM MOVE
LOW M**




**ECHOCOVE® 24MM MOVE
LOW L**




**ECHOCOVE® 24MM MOVE
HIGH S**



**ECHOCOVE® 24MM MOVE
HIGH M**



**ECHOCOVE® 24MM MOVE
HIGH L**



ECHOCOVE® 24MM DESK ONE


Frameless acoustic privacy screen incl. high-quality table adapter, deep matt powder coated

Absorption coefficient: α_w 1.00, class A

Please specify the table adapter type when ordering. (Page 75)

This product is available with our perforations. (Page 80)

NAME	ARTICLE	W x H x D (in mm)	UNIT	PET-BOTTLES	EUR
EchoCove® 24mm DESK ONE 470 S PLAIN	1188	1180x470x24	1 Pce	39	230
EchoCove® 24mm DESK ONE 470 S PERFORATED	1511	1180x470x24	1 Pce	39	295
EchoCove® 24mm DESK ONE 470 M PLAIN	1190	1400x470x24	1 Pce	47	245
EchoCove® 24mm DESK ONE 470 M PERFORATED	1513	1400x470x24	1 Pce	47	310
EchoCove® 24mm DESK ONE 470 L PLAIN	1192	1600x470x24	1 Pce	53	260
EchoCove® 24mm DESK ONE 470 L PERFORATED	1514	1600x470x24	1 Pce	53	330
EchoCove® 24mm DESK ONE 470 XL PLAIN	1194	1800x470x24	1 Pce	60	280
EchoCove® 24mm DESK ONE 470 XL PERFORATED	1515	1800x470x24	1 Pce	60	340
EchoCove® 24mm DESK ONE 590 S PLAIN	1189	1180x590x24	1 Pce	49	240
EchoCove® 24mm DESK ONE 590 S PERFORATED	1512	1180x590x24	1 Pce	49	305
EchoCove® 24mm DESK ONE 590 M PLAIN	1191	1400x590x24	1 Pce	59	275
EchoCove® 24mm DESK ONE 590 M PERFORATED	1516	1400x590x24	1 Pce	59	330
EchoCove® 24mm DESK ONE 590 L PLAIN	1193	1600x590x24	1 Pce	67	285
EchoCove® 24mm DESK ONE 590 L PERFORATED	1517	1600x590x24	1 Pce	67	345
EchoCove® 24mm DESK ONE 590 XL PLAIN	1195	1800x590x24	1 Pce	75	305
EchoCove® 24mm DESK ONE 590 XL PERFORATED	1518	1800x590x24	1 Pce	75	375



ECHOCOVE® 24MM DESK TWO

Frameless acoustic privacy screen with 300mm privacy screen under the tabletop incl. high-quality table adapter, deep matt powder-coated.
Absorption coefficient: [aw 1.00, class A](#)
Please specify the table adapter type when ordering. [\(Page 75\)](#)
This product is available with our perforations. [\(Page 80\)](#)

NAME	ARTICLE	W x H x D (in mm)	UNIT	PET-BOTTLES	EUR
EchoCove® 24mm DESK TWO 470 XS PLAIN	1196	790x770x24	1 Pce	43	230
EchoCove® 24mm DESK TWO 470 XS PERFORATED	1519	790x770x24	1 Pce	43	295
EchoCove® 24mm DESK TWO 470 S PLAIN	1198	1180x770x24	1 Pce	64	275
EchoCove® 24mm DESK TWO 470 S PERFORATED	1520	1180x770x24	1 Pce	64	330
EchoCove® 24mm DESK TWO 470 M PLAIN	1200	1400x770x24	1 Pce	76	320
EchoCove® 24mm DESK TWO 470 M PERFORATED	1521	1400x770x24	1 Pce	76	380
EchoCove® 24mm DESK TWO 470 L PLAIN	1202	1600x770x24	1 Pce	87	340
EchoCove® 24mm DESK TWO 470 L PERFORATED	1522	1600x770x24	1 Pce	87	405
EchoCove® 24mm DESK TWO 470 XL PLAIN	1204	1800x770x24	1 Pce	98	360
EchoCove® 24mm DESK TWO 470 XL PERFORATED	1523	1800x770x24	1 Pce	98	425
EchoCove® 24mm DESK TWO 590 XS PLAIN	1197	790x890x24	1 Pce	50	240
EchoCove® 24mm DESK TWO 590 XS PERFORATED	1524	790x890x24	1 Pce	50	300
EchoCove® 24mm DESK TWO 590 S PLAIN	1199	1180x890x24	1 Pce	74	285
EchoCove® 24mm DESK TWO 590 S PERFORATED	1525	1180x890x24	1 Pce	74	340
EchoCove® 24mm DESK TWO 590 M PLAIN	1201	1400x890x24	1 Pce	88	425
EchoCove® 24mm DESK TWO 590 M PERFORATED	1526	1400x890x24	1 Pce	88	490
EchoCove® 24mm DESK TWO 590 L PLAIN	1203	1600x890x24	1 Pce	101	460
EchoCove® 24mm DESK TWO 590 L PERFORATED	1527	1600x890x24	1 Pce	101	525
EchoCove® 24mm DESK TWO 590 XL PLAIN	1205	1800x890x24	1 Pce	113	480
EchoCove® 24mm DESK TWO 590 XL PERFORATED	1528	1800x890x24	1 Pce	113	540

ECHOCOVE® 24MM
DESK TWO 470 XS




ECHOCOVE® 24MM
DESK TWO 470 S




ECHOCOVE® 24MM
DESK TWO 470 M



ECHOCOVE® 24MM
DESK TWO 470 L



ECHOCOVE® 24MM
DESK TWO 470 XL



ECHOCOVE® 24MM
DESK TWO 590 XS




ECHOCOVE® 24MM
DESK TWO 590 S




ECHOCOVE® 24MM
DESK TWO 590 M



ECHOCOVE® 24MM
DESK TWO 590 L



ECHOCOVE® 24MM
DESK TWO 590 XL



ECHOCOVE® 24MM BOW


Acoustic partition wall for installation on the floor as a room divider or room-in-room solution incl. high-quality base, deep matt powder-coated (no tools required).

Absorption coefficient: α_w 1.00, class A


NAME	ARTICLE	W x H x D (in mm)	UNIT	PET-BOTTLES	EUR
EchoCove® 24mm BOW VERTIGO (Set of 2*)	1683-1	1203x1810x294	Set of 2	300	1995
EchoCove® 24mm BOW VERTIGO (1 pce)	1688-1	1203x1810x294	1 pce	150	1155
EchoCove® 24mm BOW WOVEN (Set of 2*)	1683-3	1203x1810x294	Set of 2	300	1995
EchoCove® 24mm BOW WOVEN (1 pce)	1688-3	1203x1810x294	1 pce	150	1155
EchoCove® 24mm BOW SERENITY (Set of 2*)	1683-2	1203x1810x294	Set of 2	300	1995
EchoCove® 24mm BOW SERENITY (1 pce)	1688-2	1203x1810x294	1 pce	150	1155
EchoCove® 24mm BOW MAGNETIC STRIPE	1689	25x2	Set of 2		48

*When ordering sets of 2, both elements must be ordered in the same colour.


ECHOCOVE® 24MM BOW
VERTIGO



ECHOCOVE® 24MM BOW
WOVEN



ECHOCOVE® 24MM BOW
SERENITY





ACOUSTIC-FURNITURE

ECHONOTE® 12MM

High-performance acoustic whiteboard consisting of a pin board with textile surface made of 100% PET and a classic whiteboard surface. Optionally available with pinable cover plates.


Absorption coefficient: [aw 0.30](#)

This product is optionally available with our magnetic cover plates. [\(Page 78\)](#)

This product is only available in colour 244 as standard.

NAME	ARTICLE	W x H x D (in mm)	UNIT	PET-BOTTLES	EUR
EchoNote® 12mm	1695	1190x1900x430	1 pce	101	1890

ECHONOTE® 12MM



ECHOCRATE® 24MM

Acoustic panels in various shapes and surface designs combined with storage made out of wooden crates incl. wall suspension.


Absorption coefficient: α_w 0.90, class A

Corner radius: 40mm


When ordering EchoCrate® RECTANGLE M & L items (ECR24REC079180- & ECR24REC120180-), please specify the type of suspension profile. (Page 61)

NAME	ARTICLE	W x H x D (in mm)	UNIT	PET-BOTTLES	EUR
EchoCrate® 24mm HEXAGON LIGHT	1158	1350x1180x180mm	1 Stk	91	425
EchoCrate® 24mm HEXAGON BALANCED	1156	1350x1180x180mm	1 Stk	91	465
EchoCrate® 24mm HEXAGON COMPACT	1157	1350x1180x180mm	1 Stk	91	530
EchoCrate® 24mm ROUND LIGHT	1170	1250x1250x180mm	1 Stk	92	425
EchoCrate® 24mm ROUND BALANCED	1168	1250x1250x180mm	1 Stk	92	465
EchoCrate® 24mm ROUND COMPACT	1169	1250x1250x180mm	1 Stk	92	530
EchoCrate® 24mm SQUARE LIGHT	1173	1195x1195x180mm	1 Stk	107	425
EchoCrate® 24mm SQUARE BALANCED	1171	1195x1195x180mm	1 Stk	107	465
EchoCrate® 24mm SQUARE COMPACT	1172	1195x1195x180mm	1 Stk	107	530
EchoCrate® 24mm RECTANGLE S LIGHT	1161	790x1000x180mm	5 Stk	296	915
EchoCrate® 24mm RECTANGLE S BALANCED	1159	790x1000x180mm	5 Stk	296	915
EchoCrate® 24mm RECTANGLE S COMPACT	1160	790x1000x180mm	5 Stk	296	1085
EchoCrate® 24mm RECTANGLE M LIGHT	1164	790x1800x180mm	1 Stk	107	360
EchoCrate® 24mm RECTANGLE M BALANCED	1162	790x1800x180mm	1 Stk	107	385
EchoCrate® 24mm RECTANGLE M COMPACT	1163	790x1800x180mm	1 Stk	107	420
EchoCrate® 24mm RECTANGLE L LIGHT	1167	1195x1800x180mm	1 Stk	161	490
EchoCrate® 24mm RECTANGLE L BALANCED	1165	1195x1800x180mm	1 Stk	161	520
EchoCrate® 24mm RECTANGLE L COMPACT	1166	1195x1800x180mm	1 Stk	161	635



**ECHOCRATE® 24MM
HEXAGON LIGHT**



**ECHOCRATE® 24MM
HEXAGON BALANCED**




**ECHOCRATE® 24MM
HEXAGON COMPACT**




WALL SUSPENSION


**ECHOCRATE® 24MM
ROUND LIGHT**




**ECHOCRATE® 24MM
ROUND BALANCED**




**ECHOCRATE® 24MM
ROUND COMPACT**




**ECHOCRATE® 24MM
SQUARE LIGHT**




**ECHOCRATE® 24MM
SQUARE BALANCED**




**ECHOCRATE® 24MM
SQUARE COMPACT**




**ECHOCRATE® 24MM
RECTANGLE S LIGHT**




**ECHOCRATE® 24MM
RECTANGLE S BALANCED**




**ECHOCRATE® 24MM
RECTANGLE S COMPACT**




**ECHOCRATE® 24MM
RECTANGLE M LIGHT**




**ECHOCRATE® 24MM
RECTANGLE M BALANCED**




**ECHOCRATE® 24MM
RECTANGLE M COMPACT**




**ECHOCRATE® 24MM
RECTANGLE L LIGHT**



**ECHOCRATE® 24MM
RECTANGLE L BALANCED**



**ECHOCRATE® 24MM
RECTANGLE L COMPACT**



ECHOTOWER® 24MM SQUARE


Free-standing acoustic column with optional adjustable base made of powder-coated steel (with or without castors).

Absorption coefficient: α_w 1.00, class A


You can find more information about the EchoTower® at www.echojazz.com/echotower-square

NAME	ARTICLE	W x H x D (in mm)	UNIT	PET-BOTTLES	EUR
EchoTower® 24mm SQUARE M ECO	1181	396x980x396	1 Pce	399	880
EchoTower® 24mm SQUARE M STAND	1185	550x982x550	1 Pce	399	1160
EchoTower® 24mm SQUARE M MOVE	1183	550x1057x550	1 Pce	399	1345
EchoTower® 24mm SQUARE L ECO	1182	396x1960x396	1 Pce	798	1660
EchoTower® 24mm SQUARE L STAND	1186	550x1962x550	1 Pce	798	1940
EchoTower® 24mm SQUARE L MOVE	1184	550x2037x550	1 Pce	798	2130


**ECHOTOWER® 24MM
SQUARE M ECO**



**ECHOTOWER® 24MM
SQUARE M STAND**



**ECHOTOWER® 24MM
SQUARE M MOVE**



**ECHOTOWER® 24MM
SQUARE L ECO**



**ECHOTOWER® 24MM
SQUARE L STAND**



**ECHOTOWER® 24MM
SQUARE L MOVE**



archiproducts®
DESIGN AWARDS
—
WINNER 2020

ECHOTOWER® 24MM ROUND

Free-standing acoustic column filled with sound absorbing EchoFlakes®.


Absorption coefficient: α_w 1.00, class A

You can find more information about the EchoTower® ROUND at www.echojazz.com/echotower-round

NAME	ARTICLE	Ø x H (in mm)	UNIT	PET-BOTTLES	EUR
EchoTower® 24mm ROUND M WAVY ECO	1179	367x924	1 Pce	249	670
EchoTower® 24mm ROUND L WAVY ECO	1180	367x1800	1 Pce	465	1165



ECHOTOWER® 24MM
ROUND M ECO



ECHOTOWER® 24MM
ROUND L ECO

MCART 12MM

Mobile acoustic workstation on wheels with integrated socket strip and hydraulically height-adjustable table top.

Absorption coefficient: α_w 0.90, class A

Please specify the electrical socket type (CH/EU/UK) when ordering. (Page 76)

You can find more information on the MCart at www.echojazz.com/mcart

NAME	ARTICLE	W x H x D (in mm)	UNIT	PET-BOTTLES	EUR
MCart 12mm ZERO	1010	1228x1473x613	1 Pce	145	3155
MCart 12mm ONE	1021	1456x1473x613	1 Pce	189	3720
MCart 12mm TWO	1022	1681x1473x613	1 Pce	232	4295


**MCART 12MM
ZERO**



**MCART 12MM
ONE**



**MCART 12MM
TWO**



ECHOCARRY 12MM

Mobile acoustic office-organiser in two sizes with integrated handle and optional leather straps.


Absorption coefficient: α_w 0.90, class A

When ordering, please indicate whether you wish to receive the EchoCarry with the optional leather straps


You can find more information about the EchoCarry at www.echojazz.com/echocarry

NAME	ARTICLE	W x H x D (in mm)	UNIT	PET-BOTTLES	EUR
EchoCarry 12mm WOOD M	1630	400x312x190	1 Pce	18	165
EchoCarry 12mm WOOD L	1668	524x250x177	1 Pce	20	174
EchoCarry 12mm THERMO M	1670	400x312x190	1 Pce	18	165
EchoCarry 12mm THERMO L	1669	524x250x177	1 Pce	20	174
EchoCarry 12mm LEATHER STRAPS	1155	210x19x3	2 Pce		32


ECHOCARRY 12MM M



ECHOCARRY 12MM M
+ LEATHER STRAPS



ECHOCARRY 12MM L



ECHOBOX® 24MM



Stand-alone booth with height-adjustable desk and a folding chair.

Absorption coefficient: α_w 1.00, class A

Tool-free assembly

You can find more information about the EchoBox® at www.echojazz.com/echobox

NAME	ARTICLE	W x H x D (in mm)	UNIT	PET-BOTTLES	EUR
EchoBox® 24mm SILVER FRAME	1151	840x2200x840	1 Pce	582	2710
EchoBox® 24mm WHITE FRAME	1152	840x2200x840	1 Pce	582	3045
EchoBox® 24mm BLACK FRAME	1146	840x2200x840	1 Pce	582	3045
EchoBox® 24mm SILVER FRAME (+ GLASS DOOR)	1150	840x2200x840	1 Pce	582	3285
EchoBox® 24mm WHITE FRAME (+ GLASS DOOR)	1153	840x2200x840	1 Pce	582	4060
EchoBox® 24mm BLACK FRAME (+ GLASS DOOR)	1145	840x2200x840	1 Pce	582	4060






ADDITIONAL ITEMS

ECHOGLUE®

EchoGlue® is a sprayable contact adhesive for interior fittings, floor installation, etc. Thanks to its excellent adhesive strength, EchoGlue® is ideal for most permanent joints. The spray adhesive has been specially developed for professional applications. After curing, the adhesive is non-flammable.

NAME	ARTICLE	VOLUME (in ml)	UNIT	DESCRIPTION	EUR
EchoGlue®	1013	500	1 pce	contact glue	45

ECHOGLUE®




ECHOCOUSTIC® 25MM PROFILE

EchoCoustic® can be installed optionally with EchoProfile® aluminium profiles. With EchoCoustic® 25mm PROFILE, installation is also possible without adhesive. An EchoCoustic® panel can be easily clamped between two profiles.
This article refers to the product EchoCoustic®. (Page 10)

NAME	ARTICLE	W x H x D (in mm)	UNIT	MATERIAL	EUR
EchoCoustic® 25mm PROFILE EDGE	1412	2750x16x27.8	1 Pce	Aluminium	46
EchoCoustic® 25mm PROFILE SPLIT	1413	2750x30.6x27.8	1 Pce	Aluminium	46

ECHOCOUSTIC® 25MM
PROFILE EDGE



ECHOCOUSTIC® 25MM
PROFILE SPLIT




ECHOBAFFLE® CUSTOM DESIGN OPTIONS


EchoBaffle® ceilings are flexible in their application. The slats are available with closed edges or with dovetail connections. To hang the EchoBaffle®, there is the option of a direct suspension system or u-profiles.

This article is part of the product EchoBaffle®. (Page 17)


OPTIONS	DESCRIPTION
Design	PLAIN; CORNER; VOGUE; CUSTOM DESIGN
Slat distance	Distance between slats
Suspension system	Direct suspension; U-profile
Slat connections	Closed edge; Dovetail joint




CLOSED EDGE



DOVETAIL JOINT



DIRECT SUSPENSION



U-PROFILE SUSPENSION


ECHOLED® NOVEM SPOTS 3X3

EchoLED® NOVEM SPOTS with 9 light points.

[This article refers to the product EchoLED® NOVEM. \(Page 26\)](#)

TYPE	ARTICLE	W x H x D (in mm)	LIGHT COLOUR	LUMEN	PERFORMANCE	CHF
EchoLED® NOVEM SPOTS 3X3	1345	350x350x60 (9 x Ø30)	4000K	7960lm	78W	n/a

SUPPLY VOLTAGE	220-240V 50/60Hz
PROTECTION TYPE/CLASS	IP 20 / Protection class 1
COLOUR INPUT INDEX	CRI > 80
OPTICS	Vacuum-vapourised reflector
ENERGY EFFICIENCY	A++
LIFE DURATION	> 50'000 h (L80 B10)
DIMMING MODE	DALI




ECHOLED® SITAS LIGHT-MODULE

The light module for the EchoLED® SITAS acoustic luminaire.


[This article refers to the product EchoLED® SITAS. \(Page 27\)](#)

TYPE	ARTICLE	W x H x D (in mm)	LIGHT COLOUR	LUMEN	PERFORMANCE	CHF
EchoLED® SITAS SQUARE LIGHT MODULE	1347	400x400x72	4000K	3190lm	30W	n/a
EchoLED® SITAS ROUND LIGHT MODULE	1346	Ø400xx72mm	4000K	3430lm	30W	n/a

SUPPLY VOLTAGE	220-240V 50/60Hz
PROTECTION TYPE/CLASS	IP 20 / Protection class 1
COLOUR INPUT INDEX	CRI > 80
OPTICS	Microprism cover
ENERGY EFFICIENCY	A++
LIFE DURATION	> 50'000 h (L80 B10)
DIMMING MODE	DALI



ECHOLED® SITAS SQUARE



ECHOLED® SITAS ROUND

ECHOLED® EQ4 PIN BY BARTENBACH


The EchoLED® EQ4 PIN with four light points was developed in cooperation with Bartenbach, the competence partner for lighting systems.

[This article refers to the product EchoLED® EQ4. \(Page 28\)](#)

[This article refers to the product EchoLED® UMBRA. \(Page 29\)](#)

TYPE	ARTICLE	W x H x D (in mm)	LIGHT COLOUR	LUMEN	PERFORMANCE	EUR
EQ4 3000	1024-3000	486x73.9x50 (4 x Ø30)	3000K	1320lm	22W	n/a
EQ4 4000	1024-4000	486x73.9x50 (4 x Ø30)	4000k	1320lm	22W	n/a

SUPPLY VOLTAGE	220-240V 50/60Hz
PROTECTION TYPE/CLASS	IP 40 / Protection class 1
COLOUR INPUT INDEX	CRI > 90 (4000K)
COLOUR CONSISTENCY	< 3SDMC
ENERGY EFFICIENCY	A++
LIFE DURATION	> 50'000 h (L80 B10)
UGR	< 16



Bartenbach 


ECHOLED® LINEAR LED

The EchoLED® LINEAR LED light module with different light colours and dimensions.

[This article refers to the product EchoLED® LINEAR. \(Page 30\)](#)

TYPE	ARTICLE	W x H x D (in mm)	LIGHT COLOUR	LUMEN	PERFORMANCE	EUR
M 3000	1027-3000	1420x69x90	3000K	4200lm	37W	n/a
L 3000	1028-3000	1980x69x90	3000K	5400lm	48W	n/a
M 4000	1027-4000	1420x69x90	4000K	4700lm	37W	n/a
L 4000	1028-4000	1980x69x90	4000K	6100lm	48W	n/a

SUPPLY VOLTAGE	230 V +/- 10% AC/DC
PROTECTION TYPE/CLASS	IP 20 / Protection class 1
COLOUR INPUT INDEX	CRI > 80
COLOUR CONSISTENCY	< 3SDMC
ENERGY EFFICIENCY	A++
LIFE DURATION	> 50'000 h (L80 B10)
DIFFUSOR	Microprism cover
UGR	< 19




ECHOCOVE® JOINER

Plastic plug-in connector for mounting EchoCove® ECO partitions without tools.

This item is only available with the products EchoCove® ECO & PALING. (Page 50)

NAME	ARTICLE	W x H x D (in mm)	UNIT	MATERIAL	EUR
EchoCove® JOINER 90	1325	129x30x129	1 pce	ABS	12
EchoCove® JOINER 120	1328	112x30x129	1 pce	ABS	12
EchoCove® JOINER PIVOT	1330	28x25x209	1 pce	ABS	18
EchoCove® JOINER STRAIGHT	1331	29x30x129	1 pce	ABS	12
EchoCove® JOINER T	1334	197x30x129	1 pce	ABS	12
EchoCove® JOINER X	1336	229x30x229	1 pce	ABS	12

**ECHOCOVE® JOINER
120**



**ECHOCOVE® JOINER
90**




**ECHOCOVE® JOINER
PIVOT**




**ECHOCOVE® JOINER
STRAIGHT**



**ECHOCOVE® JOINER
T**



**ECHOCOVE® JOINER
X**



ECHOCOVE® DESK ADAPTER

Powder coated metal adapter for mounting EchoCove® 24mm DESK ONE and DESK TWO privacy screens.

Colour adapter: [Black RAL9005](#)


From an order quantity of 20 sets, the table adapters are available in all RAL colours at a surcharge of 5%.
This item is only available with the product EchoCove® DESK. ([Page 56](#))

NAME	ARTICLE	W x H x D (in mm)	UNIT	MATERIAL
EchoCove® DESK ADAPTER A	1023-10	25x200x102 (Direct mounting)	1 pce	Powder-coated steel
EchoCove® DESK ADAPTER B	1023-20	25x218x68 (Clamping range up to 30mm)	1 pce	Powder-coated steel
EchoCove® DESK ADAPTER C	1023-30	25x262x68 (Clamping range 46-75mm)	1 pce	Powder-coated steel


ECHOCOVE®
ADAPTER A



ECHOCOVE®
ADAPTER B



ECHOCOVE®
ADAPTER C




MCART ELECTRICAL SOCKET

Integrated socket for the MCart with surface in powder-coated metal for CH/EU/UK. Power and USB.


This article refers to the product MCart. (Page 65)

NAME	ARTICLE	W x H x D (in mm)	UNIT	MATERIAL	EUR
CH	1020-100	215x37x50	1 Pce	Powder-coated steel	n/a
EU	1020-102	214x64x135	1 Pce	Powder-coated steel	n/a
UK	1020-101	214x64x135	1 Pce	Powder-coated steel	n/a


MCART ELECTRICAL SOCKET
CH



MCART ELECTRICAL SOCKET
EU



MCART ELECTRICAL SOCKET
UK



ECHOCRATE® SUSPENSION PROFILE

Depending on how the EchoCrate® RECTANGLE M & L products are hung, a different suspension profile is required. Please specify the correct suspension profile when ordering.

This article relates to the products EchoCrate® RECTANGLE M & L. ([Page 61](#))

NAME	ARTICLE	W x H x D (in mm)	UNIT	MATERIAL	CHF
Horizontal Orientation	1355	1050x50x20	1 pce	Steel powdercoated	n/a
Vertical Orientation	1354	550x50x20	1 pce	Steel powdercoated	n/a

SUSPENSION PROFILE
HORIZONTAL ORIENTATION



SUSPENSION PROFILE
VERTICAL ORIENTATION




ECHONOTE® 12MM COVER

Pinable cover plate, which can be easily attached to and removed from the whiteboard thanks to magnets on the back.
This article is part of the product EchoNote®. (Page 60)

NAME	ARTICLE	W x H x D (in mm)	UNIT	MATERIAL	EUR
EchoNote® 12mm COVER	1176	595x855x12	2 pce	EchoBoard® 12mm	225

ECHONOTE® 12MM COVER




ECHOCOVE® 24MM STAND CENTERBASE

High-quality steel base, available in three different designs, for the product EchoCove® 24mm STAND.


This article is part of the product EchoCove® 24mm STAND. ([Page 54](#))

BEZEICHNUNG	ARTIKEL	B x H x T (in mm)	EINHEIT	MATERIAL
FULL	1678-2	490x902x400	1 pce	Steel, powder-coated
SLIM	1678-3	490x902x413	1 pce	Steel, powder-coated
ARCH	1678-4	505x892x353	1 pce	Steel, powder-coated


FULL



SLIM




ARCH




PERFORATIONS


Perforations as an additional option for various ECHOJAZZ products.
Special dimensions and designs on request
You can always find current designs online at www.echojazz.com/perforationen




SPARKLY – K




PEN – L




MESH – M




JUNGLE – N




BEAM – O




ZEN – P



PETALS – Q




CITY – R




GECKO – S

PERFORATIONS


Perforations as an additional option for various ECHOJAZZ products.
Special dimensions and designs on request
You can always find current designs online at www.echojazz.com/perforationen




SPIDER - T




BLOCKS - U




BASILIKA - V



CELTIC - W




PULL - X




ARC - Y



FLOWERS - Z



PALM - AB



CUBE - AC



ECHOJAZZ

INSPIRED BY ACOUSTICS AND SUSTAINABILITY

100% PET ACOUSTIC ABSORBERS

PRICE LIST-EN-EUR-20250114 / VALID UNTIL REVOKED